

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29

**RESOLUTION NO. 05-19-295**

**A RESOLUTION OF THE MAIN SAN GABRIEL BASIN  
WATERMASTER DETERMINING OPERATING SAFE YIELD FOR  
SAID BASIN FOR FISCAL YEAR 2019-20 THROUGH 2023-24**

WHEREAS, Watermaster has caused a report on preliminary determination of the Operating Safe Yield for the Main San Gabriel Basin for Fiscal Years 2019-20 through 2023-24 to be prepared by its Consulting Engineer, and thereafter at its regular meeting of April 3, 2019, received said report; and

WHEREAS, a copy of said report was mailed to all Producers within said Basin, together with an appropriate notice of hearing thereon at the meeting room of Watermaster at 2:30 o'clock P.M. on Wednesday, May 1, 2019; and

WHEREAS, pursuant to said notice, a hearing was duly and regularly held at said time and place on said report and at which time the engineer submitted updated information, testimony was taken and objections, suggested modifications and comments were solicited and heard; and

WHEREAS, at the close of said hearing, from the evidence presented, it appears appropriate to adopt said report;

NOW, THEREFORE, BE IT RESOLVED BY THE MAIN SAN GABRIEL BASIN WATERMASTER, as follows:

Section 1. The said preliminary report, as updated at the hearing, is hereby adopted as a final report, attached hereto as "Exhibit A," and by this reference incorporated herein and made a part hereof as though here fully set forth at length.

Section 2. It is hereby found and determined that the Operating Safe Yield for the Main San Gabriel Basin for the Fiscal Years 2019-20 through 2023-24 is as follows:

<u>Fiscal Year</u>	<u>Operating Safe Yield (Acre-Feet)</u>
2019-20	150,000
2020-21	130,000
2021-22	130,000
2022-23	130,000
2023-24	130,000

Section 3. Within (30) days hereof, Watermaster's Secretary shall have mailed a copy of said final report, findings and determinations, together with a statement of each producer's entitlement thereunder in each such Fiscal Year, stated in acre-feet, to each Pumper and Integrated Producer within the Basin, in accordance with the provisions of Section 43(c) of the Amended Judgment in the Adjudication Action of the Water Rights in the Basin.

Dated: May 1, 2019

  
Chair

Attest:

Secretary

**MAIN SAN GABRIEL BASIN WATERMASTER  
REPORT ON  
FINAL DETERMINATION OF  
OPERATING SAFE YIELD  
FOR 2019-20 THROUGH 2023-24**

**MAY 1, 2019**



**STETSON  
ENGINEERS INC.**

861 Village Oaks Drive, Suite 100  
Covina, California, 91724  
Phone (626) 967-6202  
Fax (626) 331-7065  
[www.stetsonengineers.com](http://www.stetsonengineers.com)

**SAN RAFAEL, CA**

**STETSON ENGINEERS INC.  
COVINA, CA**

**MESA, AZ**

**CENTENNIAL, CO**

## TABLE OF CONTENTS

	<u>Page No.</u>
Introduction .....	1
Basin Operating Criteria .....	1
Impacts/Response to (Unprecedented) Recent Drought Conditions and	
Extremely Low Local Runoff .....	3
Recent Drought Conditions .....	3
Stormwater Augmentation Program.....	4
MWD Pre-Delivery Agreement.....	4
Basin Conditions - Groundwater Elevations .....	5
Baldwin Park Key Well .....	5
Other “Key Wells” .....	6
Basin Conditions - Rainfall .....	7
San Gabriel Dam – Station 425B-E .....	7
Pasadena City Hall – Station 610B.....	7
Puddingstone Dam – Station 96C .....	7
Basin Conditions - Local Water in Surface Storage Reservoirs .....	8
Basin Conditions - Local and Imported Water Conserved .....	8
Basin Conditions - Supplemental Water Availability .....	9
Metropolitan Water District of Southern California .....	9
Availability of Imported Water .....	9
San Gabriel District.....	10
Deliveries of Stormwater Augmentation Water (RDA II) .....	10
Deliveries of Supplemental Water .....	11
Replacement Water .....	11
Fiscal Year 2018-19 Supplemental Water Deliveries.....	11
Estimated 2019-20 Supplemental Water Delivery Requirements ...	12
Cyclic Storage Water .....	13



Basin Conditions - Carry-over Rights .....	14
Basin Conditions - Estimated Water Production During 2018-19 .....	14
Fiscal Year 2018-19 Operating Safe Yield Determination .....	15
Conclusions .....	16

## LIST OF TABLES

Table 1	Annual Operating Safe Yield, Production Rights, Water Production and Replacement Water Requirements
Table 2	Rainfall and Water Replenishment of Main San Gabriel Basin
Table 3	Monthly Cyclic Storage Accounts and Effect on Key Well
Table 4	Local Water in Storage in Surface Reservoirs
Table 5	Supplemental Water Deliveries to the Main San Gabriel Basin for Groundwater Replenishment
Table 6	Historical Water Production
Table 7	Total Historical Demand in Basin

## LIST OF PLATES

Plate 1	Well Location Map
---------	-------------------

## LIST OF FIGURES

Figure 1	Baldwin Park Key Well Groundwater Elevation
Figure 2	Impacts of Stored Water on Baldwin Park Key Well Groundwater Elevation
Figure 3	San Gabriel Dam Rainfall and Baldwin Park Key Well Elevation
Figure 4	Accumulated Rainfall at San Gabriel Dam Rainfall Station No. 425B-E

- Figure 5     Accumulated Rainfall at Pasadena City Hall Rainfall Station No. 610B
- Figure 6     Accumulated Rainfall at Puddingstone Dam Rainfall Station No. 96-C
- Figure 7     Production in Main San Gabriel Basin

#### **LIST OF APPENDICIES**

- Appendix A     Hydrographs for Baldwin Park Key Well and Other “Key Wells”
- Appendix B     Range of Operating Safe Yields and Pumper’s Shares Thereof

**MAIN SAN GABRIEL BASIN WATERMASTER  
REPORT ON FINAL DETERMINATION OF  
OPERATING SAFE YIELD  
FOR 2019-20 THROUGH 2023-24**

**May 1, 2019**

**INTRODUCTION**

Operating Safe Yield is the quantity of water which the Main San Gabriel Basin Watermaster (Watermaster) determines may be pumped from the Main San Gabriel Basin (Basin) in a fiscal year, free of Replacement Water assessments. In accordance with Section 43 of the amended Main San Gabriel Basin Judgment<sup>1</sup>, Watermaster at its regular meeting in May of each year determines the Operating Safe Yield applicable to the succeeding fiscal year and estimates the Operating Safe Yield for the next succeeding four fiscal years.

A report on the "Preliminary Determination of Operating Safe Yield" is submitted by its Engineer to Watermaster at its regular meeting in April each year. On acceptance of that report by Watermaster, a copy is distributed to each Pumper and Integrated Producer at least 10 days prior to a hearing, which is held at the regular meeting of Watermaster in May each year. Objections, comments or suggested modifications to the preliminary Operating Safe Yield are considered by Watermaster at that hearing and Watermaster, through vote of its Board members, adopts the final Operating Safe Yield.

**BASIN OPERATING CRITERIA**

Section 42 of the amended Judgment states in part, "... Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria and, insofar as practicable, to maintain the water level at the Key Well above Elevation two hundred (200)." Replacement Water is defined in Section 10 (cc) of the amended Judgment as "Water purchased by Watermaster to replace: (1) Production in excess of a Pumper's Share of Operating Safe Yield; (2) The consumptive use portion resulting from the exercise of an Overlying Right; and (3) Production in excess of a Diverter's right to Divert for Direct Use". Producers and Responsible Agencies are allowed to deliver Supplemental Water into their respective Cyclic Storage accounts as a pre-delivery of Replacement Water. Furthermore, as a result of significant local drought conditions the Watermaster took unprecedented actions to supplement local water supplies, and, as part of 2012 amendments to the Judgment, Watermaster may make deliveries of Supplemental Water to augment the lack of local water

---

<sup>1</sup> Upper San Gabriel Valley Municipal Water District vs. City of Alhambra, et al., Case No. 924128, Los Angeles County, as amended June 21, 2012.

replenishment through the Water Resources Development Assessment (RDA) stormwater augmentation program. The RDA has been recently used by the Watermaster to augment local water supplies. The Operating Safe Yield and delivery of Supplemental Water are the tools specified in the Judgment for management of Basin groundwater levels. The Operating Safe Yield which is established in May of each year, along with the prior year's carryover rights and the Diversion component of Integrated Producers, results in a Replacement Water requirement (net of any withdrawals from Producer Cyclic Storage accounts) that is delivered (at the earliest) in October of the second fiscal year, a span of about 17 months, and possibly not until the following June, a span of 26 months, assuming imported Supplemental Water is available. In the time frame between when the Operating Safe Yield is established and Supplemental Water is actually delivered, the actual hydrologic conditions experienced may have had significant impacts on the Basin groundwater levels. Therefore, it is prudent to conservatively manage the Basin groundwater levels and assure that Replacement Water assessment funds are appropriately collected and available for the purchase of available Supplemental Water to provide for Basin replenishment.

Watermaster evaluates numerous factors when determining the Operating Safe Yield. The most critical factors are the provisions of the Judgment and the current and projected groundwater elevation at the Baldwin Park Key Well (Key Well), which represents the water stored in the Basin. Importantly, Watermaster focuses on the "operational" groundwater elevation at the Key Well (which excludes the impacts of Supplemental Water held in Cyclic Storage accounts). Figure 1 shows the measured groundwater elevation at the Key Well, which includes stored Supplemental Water (Cyclic Storage and the initial Water Resource Development Assessment deliveries historically delivered to Cyclic Storage) and the operational groundwater elevation at the Key Well, which is used to characterize "natural" groundwater elevations for the purposes of establishing an Operating Safe Yield. However, for the purpose of this Report, the measured Key Well elevation is referenced throughout. Watermaster also reviews historical and current hydrologic conditions within the Basin, such as rainfall, storage of local runoff in surface reservoirs and conservation of local runoff; the availability of Supplemental Water; the quantity of water in Cyclic Storage; Carry-over Rights; and other information. Presented in Table 1 is the historical record of the annual Operating Safe Yield, Carry-over Rights, Lost Carry-over Rights, Production Rights, Water Production, and Replacement Water Requirement for each year of Watermaster operations beginning with fiscal year 1973-74.

During fiscal year 2015-16, the Watermaster developed a "Stormwater Augmentation Program," whereby Watermaster will use its Water Resource Development Assessment to purchase available untreated imported water to supplement the shortage of local stormwater replenishment (discussed in detail in the following section). Consequently, once the Stormwater Augmentation Program water is delivered to the Basin, and paid for, it is considered to be a supplement to "local water and available to all Basin pumpers," but not Supplemental Water.

## **IMPACTS/RESPONSE TO (UNPRECEDENTED) RECENT DROUGHT CONDITIONS AND EXTREMELY LOW LOCAL RUNOFF**

### **Recent Drought Conditions**

Rainfall in the San Gabriel Valley has averaged about 12.30 inches since fiscal year 2006-07 (about 12 years) which is significantly below the long-term annual average of about 18 inches for the entire San Gabriel Valley. Furthermore, since fiscal year 2006-07 the average annual stormwater replenishment has averaged about 72,000 acre-feet whereas the local runoff in the San Gabriel Valley through the end of fiscal year 2010-11 had averaged about 110,000 acre-feet per year. Consequently, over those 12 years the average annual deficit of stormwater replenishment has been about 38,000 acre-feet per year which represents a total of about 456,000 acre-feet. More dramatically, the average annual rainfall between fiscal years 2011-12 and 2017-18, a period of seven (7) consecutive years has been 10.37 inches, as shown on Table 2. Local runoff in the San Gabriel Valley through the end of fiscal year 2010-11 had averaged about 110,000 acre-feet per year. However, over the subsequent seven years the local runoff has averaged only about 37,000 acre-feet (see Table 2). Consequently, over the most recent 7 years the average annual deficit of stormwater replenishment has been about 72,000 acre-feet per year which represents a total of about 504,000 acre-feet. Prior to the recent drought, rainfall had averaged 19.24 inches, as measured at Puddingstone Dam, and the groundwater elevation of the Key Well was 233.5 feet as of June 24, 2011, as shown on Table 1 and Figure 2. As a result of the recent drought, the groundwater elevation at the Key Well decreased to a new historic low of 169.4 feet on November 21, 2018. This represents a loss of over 510,000 acre-feet. Since November 21, 2018 the measured groundwater level has increased to about 196 feet, as of April 26, 2019, which was partially the result of the delivery of about 55,000 acre-feet of imported water during the Fall of 2018. Without Supplemental Water held in Cyclic Storage accounts, the groundwater elevation at Key Well would have been at 175 feet as of April 26, 2019. Without Cyclic Storage and the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse.

Production in the San Gabriel Valley has averaged about 217,000 acre-feet per year over the last seven years (2011-12, 2012-13, 2013-14, 2014-15, 2015-16, 2016-17 and 2017-18) during the extended drought period, as shown on Table 1. Fiscal year 2017-18 groundwater production was about 209,500 acre-feet. During this extended drought period, Producers have implemented water conservation measures in an effort to reduce groundwater production to help address drought conditions.

During this recent drought, the Watermaster has become more pro-active by implementing provisions of the Judgment, and developing and instituting new studies, programs and plans to address the drought conditions as they progressively worsened. The 2012 Judgment Amendments provided Watermaster with increased management flexibility and adaptability; and broad discretion in the making of Basin management decisions. Without the actions of the Watermaster and the Producers,

Basin water supply conditions would have been much worse. The following are Watermaster and Producer Actions (which are discussed in detail in the Watermaster Annual Report): RDA, Storm Water Capture, Cyclic Storage, Conservation, Recycled Water for Replenishment, Basinwide Low Water Vulnerability Assessment, In-Lieu Program, Assist Drought Impacted Purveyors, Stormwater Augmentation Program (discussed below) and MWD Water Supply Agreement (discussed below).

### **Stormwater Augmentation Program**

During fiscal year 2015-16, the Watermaster evaluated other ways to help manage the Basin water supplies. At that time, the Watermaster determined that between fiscal years 2011-12 and 2015-16, the Basin did not receive nearly 400,000 acre-feet of local water replenishment compared to long-term average conditions. The Watermaster developed a conceptual “Stormwater Augmentation Program,” whereby the RDA would be repurposed to purchase available untreated imported water to supplement the significant shortage of local stormwater replenishment (RDA II). Figure 2 shows what the operational Key Well elevation would have been if the Stormwater Augmentation Program water was not implemented.

### **MWD Pre-Delivery Agreement**

During calendar year 2017, rainfall within the SWP drainage area was about 200 percent of average, resulting in a SWP allocation of 85 percent (although rainfall in the San Gabriel Valley was only about average). Consequently, Metropolitan Water District of Southern California (MWD), Upper San Gabriel Valley Municipal Water District (Upper District), and the Watermaster entered into an Agreement (MWD Agreement) whereby MWD will deliver untreated imported water to the Main Basin initially for Cyclic Storage, and then applied to the stormwater augmentation. MWD proposed delivering 80,000 acre-feet of untreated imported water to replenish the Main Basin during calendar year 2017. Subsequently, the Watermaster and Upper District would purchase one-fifth of the delivery in each of the next five years, i.e. 16,000 acre-feet in December 2017, 16,000 acre-feet in December 2018, 16,000 acre-feet in December 2019, 16,000 acre-feet in December 2020, and 16,000 acre-feet in December 2021. Much of the purchased water would be applied to the Stormwater Augmentation Program.

During calendar year 2017, MWD delivered a total of 53,517.5 acre-feet of wet water through USG-3, 5,000 acre-feet was transferred from MWD Cyclic Storage, and 5,000 acre-feet was delivered in 2018 for a total of 63,517.5 acre-feet under the MWD Agreement. It is anticipated the balance of the 80,000 acre-feet will be delivered to the Main Basin in the future. As a result of below average precipitation which impacted the availability of imported water during calendar year 2018, Watermaster and Upper District purchased 16,000 acre-feet outside of the MWD Agreement. The 16,000 acre-feet purchased by Watermaster was used for RDA II water (stormwater augmentation) and Producer Cyclic Storage water.

During calendar year 2018, MWD was unable to deliver the remaining balance of 16,482.5 acre-feet (80,000 – 63,517.5) under the MWD Agreement. This Plan recognizes the Pre-Purchase Plan payments have been deferred by one year, and MWD will deliver the 16,482.5 acre-feet at some point during the next four years.

## **BASIN CONDITIONS - GROUNDWATER ELEVATIONS**

Exhibit H, Section 2 of the amended Judgment states in part “Watermaster in determining Operating Safe Yield and the importation of Replacement Water shall be guided by water level elevations in the Basin.” The following describes the groundwater elevation at the Baldwin Park Key Well.

### **Baldwin Park Key Well**

The Key Well is located in the central portion of the Basin, as shown in Plate 1. It has been successfully used to generally represent basin-wide groundwater elevation trends. A one-foot groundwater elevation change at the Key Well is estimated to represent approximately 8,000 acre-feet of water in storage, under normal conditions (Basin operating conditions). Figure 3 is a hydrograph showing the groundwater elevation at the Key Well and annual rainfall at San Gabriel Dam since October 1, 1937. The highest groundwater elevation at the Key Well, since entry of the Judgment, occurred on July 20, 1983 at 295.3 feet at which time 9,900 acre-feet (about one foot) were in Cyclic Storage. The historical low groundwater elevation at the Key Well, since entry of the Judgment, occurred on November 21, 2018 at 169.4 feet at which time 161,000 acre-feet (about 20 feet) were in Cyclic Storage. Without Cyclic Storage, the groundwater elevation at the Key Well would have been about 150 feet. Figure 1 shows the seasonal trend of the groundwater elevation at the Key Well since fiscal year 2015-16, along with fiscal year 2004-05 when there was about 44 inches of precipitation at Puddingstone Dam compared to the long term average of about 18 inches. On April 26, 2019 the groundwater elevation at the Key Well was 196.0 feet, at which time about 168,700 acre-feet (about 21 feet) were in Cyclic Storage (about 121,200 acre-feet in Cyclic Storage accounts and about 47,500 acre-feet in the MWD Cyclic Storage account, which is intended for RDA II). Without Cyclic Storage, the Key Well elevation would have been about 175 feet on April 26, 2019, as shown on Figures 1 and 2. In addition, without RDA II Stormwater Augmentation water, the Key Well elevation would have been about 170 feet on April 26, 2019, as shown on Figure 2.

As previously discussed, local runoff conserved in the San Gabriel Basin has been significantly below the long-term annual average for the last seven consecutive years, and for the average for the last 12 years. As a result, the measured groundwater elevation at the Key Well decreased from 233.5 feet on June 24, 2011 to 169.4 feet on November 21, 2018, a decrease of 64 feet. This is a loss of about 510,000 acre-feet of water from Basin storage. (Since November 2018, the Key Well increased to 196 feet on April 26, 2019 partially due to replenishment of imported water.) As specified in Section 42 of the amended Judgment, the Watermaster, to the

extent practical, shall manage the Basin to maintain the groundwater elevation at the Key Well above 200 feet. This has not been accomplished, as described in this Report.

Thus far during fiscal year 2018-19, rainfall at Puddingstone Dam has been about 22.08 inches (the long-term annual average is about 18 inches) which is about 126 percent of average, as of April 30, 2019. The Key Well elevation was about 196 feet on April 26, 2019. The release of local water runoff from Morris Reservoir was about 700 cubic feet per second (cfs), which is about 1,500 acre-feet per day, as of March 22, 2019. However, as of the end of April 2019, Morris releases had been temporary suspended to coordinate USG-3 releases. Assuming at least the long-term average rainfall occurs during the final two months of the year and Morris Reservoir releases are maintained, it would (mathematically) about require an additional 32,000 acre-feet of Morris Reservoir releases for replenishment to increase the measured groundwater elevation at the Key Well to about 200 feet, which is the bottom of the Basin operating range. (Excluding water in Cyclic Storage, the stormwater replenishment would increase water levels to about 180 feet.)

#### **Other “Key Wells”**

While the groundwater elevation at the Baldwin Park Key Well has increased by about 4 feet from 178.5 feet on July 1, 2018 to 196.0 feet on April 26, 2019, the change in groundwater elevations in other parts of the Basin has been less significant. A well location map showing other “Key Wells” is included as Plate 1 and hydrographs of groundwater elevations at four other wells located throughout the Basin (compared to the measured Baldwin Park Key Well groundwater elevation) are included in Appendix A. San Gabriel County Water District Well 10 is located westerly of the Baldwin Park Key Well, County of Los Angeles Well No. 2947F is located southerly of the Baldwin Park Key Well in the vicinity of Whittier Narrows, Suburban Water Systems Well 155W-2 is located in the vicinity of the Puente Narrows and Valencia Heights Water Company Well No. 5 is located southeasterly of the Baldwin Park Key Well. In general, groundwater elevations at each of the four monitoring wells in the Basin react (both upward and downward) in a comparable but less dramatic manner as the Baldwin Park Key Well. As shown on the hydrographs in Appendix A, the groundwater elevations at these wells generally do not increase as high as the Baldwin Park Key Well during wet periods (with significant groundwater replenishment), but also do not have as significant of a decrease during dry periods with less groundwater replenishment. Significant changes in the water level for the other “Key Wells” are not expected in the near future.



## **BASIN CONDITIONS - RAINFALL**

Rainfall in the San Gabriel River watershed provides direct percolation and results in local stormwater runoff which is subsequently percolated in spreading facilities and contributes to Basin replenishment. Precipitation amounts vary throughout the San Gabriel River watershed and typically are highest in the foothills and mountains. Precipitation recorded at San Gabriel Dam, the City of Pasadena and Puddingstone Dam, are described below. The locations of these rainfall stations are shown on Plate 1.

### **San Gabriel Dam - Station 425B-E**

Rainfall at San Gabriel Dam, which is located in the upper watershed and not on the valley floor, was about 35.83 inches for the period July 1, 2018 through April 30, 2019, or about 126 percent of average for that period. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 125 percent of average. Fiscal year 2016-17 rainfall at San Gabriel Dam was 32.54 inches, or about 114 percent of average through April 30, 2017. Fiscal year 2017-18 rainfall at San Gabriel Dam was 12.93 inches, or about 45 percent of average through April 30, 2018. Figure 4 shows the cumulative rainfall for 1) fiscal years 2012-13, 2013-14, 2014-15, 2015-16, 2016-17, 2017-18; 2) the period July 2018 through April 2019; and 3) the long-term average rainfall at San Gabriel Dam.

### **Pasadena City Hall - Station 610B**

Rainfall at the Pasadena City Hall was 22.82 inches for the period July 1, 2018 through March 31, 2019, or about 138 percent of average for that period. Rainfall for the period of July 1, 2018 through April 30, 2019, is estimated to be about 25 inches, or about 128 percent of average. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 127 percent of average. Fiscal year 2016-17 rainfall at the Pasadena City Hall was 20.26 inches, or about 103 percent of average through April 30, 2017. Fiscal year 2017-18 rainfall at the Pasadena City Hall was 7.54 inches, or about 39 percent of average through April 30, 2018. Figure 5 shows the cumulative rainfall for 1) fiscal years 2012-13, 2013-14, 2014-15, 2015-16, 2016-17, 2017-18; 2) the period July 2018 through April 2019; and 3) the long-term average rainfall at the Pasadena City Hall.

### **Puddingstone Dam - Station 96C**

Rainfall at Puddingstone Dam was 22.08 inches for the period July 1, 2018 through April 30, 2019, or about 126 percent of average for that period. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 125 percent of average. Fiscal year 2016-17 rainfall at Puddingstone Dam was 20.48, or about 117 percent of average through April 30, 2017. Fiscal year 2017-18 rainfall at Puddingstone Dam was 6.76 or about 39 percent of average through April 30, 2018. Figure 6 shows the cumulative rainfall for 1) fiscal years 2012-13, 2013-14, 2014-15,

2015-16, 2016-17, 2017-18; 2) the period July 2018 through April 2019; and 3) the long-term average rainfall at Puddingstone Dam.

Precipitation in the San Gabriel River watershed during fiscal year 2018-19, through the end of April 2019 was about 127 percent.

#### **BASIN CONDITIONS - LOCAL WATER IN SURFACE STORAGE RESERVOIRS**

Local runoff water in surface reservoirs located on streams tributary to the Basin is stored by the DPW. This local runoff water is later released to the San Gabriel River system either for direct delivery to users or for replenishment of the groundwater Basin.

Table 4 shows the maximum reservoir storage capacity and the quantities of water in storage in surface reservoirs tributary to the San Gabriel Valley on April 30, 2018 and on April 29, 2019. Also shown are the current recorded inflow and outflow rates at the reservoirs on April 29, 2019. The total amount of local water stored in surface reservoirs in the San Gabriel Valley as of April 29, 2019, was about 75,100 acre-feet (about 80 percent of capacity), which is an increase of about 43,700 acre-feet in storage compared to April 30, 2018 (75,100 – 31,400). However, as a result of the rainfall during fiscal year 2018-19 which has filled the reservoirs in San Gabriel canyon, DPW has made releases for flood control purposes since mid-February 2019 at the rate of about 700 cfs. Furthermore, DPW indicates it maintains a minimum pool in Cogswell, San Gabriel and Morris Reservoirs representing about 10,500 acre-feet. In addition, water in Puddingstone Reservoir (about 6,800 acre-feet) is maintained for recreational purposes. Consequently, of the 75,100 acre-feet in storage, about 57,800 acre-feet (75,100 – 10,500 – 6,800) are available for direct use or groundwater replenishment. Assuming there were no further flood control releases, if the stored water was entirely replenished in the Main Basin, the groundwater elevation at the Key Well might increase by about seven feet solely from local water in storage. The water supply condition in local surface reservoirs is reflective of above average rainfall and runoff conditions in the San Gabriel River watershed.

#### **BASIN CONDITIONS - LOCAL AND IMPORTED WATER CONSERVED**

The amount of local water conserved, which is typically the primary component of Basin replenishment, is dependent upon the amount of precipitation on the tributary watershed, resulting runoff, and the subsequent water replenishment activities of DPW. Historically, when the Basin experiences average to above-average precipitation, it results in a larger amount of local water available to replenish the Basin and the groundwater elevation increases. Examples of this relationship are shown on Figure 3 (see 1977-78, 1982-83, and 2004-05). The occurrence and duration of annual rainfall is also an important factor. For example, a large amount of rainfall over a short period of time may result in limited replenishment to the Basin due to surface flows exceeding water replenishment capabilities and even result in flow of

local runoff to the ocean. Also, rainfall that follows severe dry periods will often result in lower runoff amounts due to dry soil absorbing effects in the watershed.

Rainfall in the Basin watershed during fiscal year 2018-19 has been about 130 percent of average through April 30, 2019. Although DPW replenishment records are incomplete this time of year, preliminary data indicate approximately 92,000 acre-feet (about 93 percent of average) of local runoff was replenished in the Basin between October 1, 2018 and April 30, 2019. In addition, about 19,000 acre-feet of RDA II water, as part of the Stormwater Augmentation Program, was replenished to supplement “local water” and included under “Local Runoff” in Table 2. Consequently, the total Local Runoff plus RDA II is 111,000 (92,000 + 19,000) acre-feet (112 percent of average). The average annual local water Basin replenishment has averaged about 110,000 acre-feet prior to the recent drought. The Stormwater Augmentation Program helped keep the Key Well elevation stable and not drop further, thus achieving its goal and purpose. In addition to local runoff, about 42,000 acre-feet of untreated imported water (Supplemental Water) was replenished in the Basin for a total Basin replenishment of about 153,000 (111,000 + 42,000) acre-feet.

Table 2 summarizes the annual rainfall, local water plus RDA II water and imported water replenished, and measured and operational groundwater elevations at the Key Well since the inception of Watermaster operations.

### **BASIN CONDITIONS - SUPPLEMENTAL WATER AVAILABILITY**

Section 10 of the amended Judgment defines Supplemental Water as “Nontributary water imported through a Responsible Agency.” Upper District, Three Valleys Municipal Water District (Three Valleys District) and San Gabriel Valley Municipal Water District (San Gabriel District) are the Responsible Agencies which deliver Supplemental Water to the Basin. Upper District and Three Valleys District are member agencies of MWD. The San Gabriel District is a State Water Project contractor. The following describes the availability of Supplemental Water from MWD and San Gabriel District.

### **Metropolitan Water District of Southern California**

MWD primarily receives its water supply from the State Water Project (SWP) and the Colorado River. Below is a description of the availability of water from MWD.

#### **Availability of Imported Water**

An “8-station index” is used by the California Department of Water Resources (DWR) to determine average precipitation in the Sacramento River hydrologic region of northern California, which is the source of much of the imported water supply to the Basin. Through April 30, 2019, the “8-station index” indicated average precipitation of 57.56 inches or about 126 percent of average for that time of year, while rainfall in the San Gabriel Valley was about 127 percent of average (through April 30, 2019).

On November 30, 2018, DWR announced the 2019 initial allocation of SWP water was 10 percent of the contractors' Table A entitlement. On February 20, 2019, the SWP allocation was increased to 35 percent of the SWP entitlement. On March 20, 2019, the SWP allocation was increased to 70 percent of the SWP entitlement. As stated in DWR's Notice to State Water Project Contractors, the increase in allocation is based on "the recent precipitation, runoff, and current water supply conditions..." In general, every five percent of SWP allocation equates to about 100,000 acre-feet of supply for MWD. With a 70 percent SWP allocation, MWD would receive about 1,400,000 acre-feet.

Based on the Colorado River Compact, the seven basin states receive allocations to Colorado River water. Based on California's allocation of Colorado River water, MWD staff has indicated about 550,000 acre-feet of Colorado River water are available to MWD during calendar year 2019. Although Colorado River water may be delivered as Supplemental Water to help replenish the Basin, there are issues which must be addressed prior to delivery. Quagga mussels are in Colorado River water and have the potential to negatively impact the replenishment facilities unless the Colorado River water is isolated and the replenishment facilities are allowed to dry out, which effectively eliminates the Quagga mussels. A second concern is the high Total Dissolved Solids (TDS) concentration in Colorado River water, which would need to be addressed through Watermaster's "Criteria for Delivery of Supplemental Water". There are currently no planned deliveries of Colorado River water for Basin replenishment.

### **San Gabriel District**

San Gabriel District has a contract for State Water Project water (see description of State Water Project availability under MWD). San Gabriel District's current 2019 allocation is 70 percent of its State Water Project Table A entitlement of 28,800 acre-feet. Consequently, it is anticipated San Gabriel District will deliver about 20,200 acre-feet to the Basin during calendar year 2019.

### **Deliveries of Stormwater Augmentation Program Water (RDA II)**

Section 45(b)(7) of the amended Judgment allows Watermaster to "...levy an Assessment on all Pumping, as determined through Rules and Regulations ... to support the purchase, financing, and/or development of new or additional Supplemental Water sources, in cooperation with one or more Responsible Agencies as appropriate." Section 45(b)(7) established the RDA for the purchase or development of additional Supplemental Water supplies.

As previously discussed, the "Stormwater Augmentation Program," purchases available untreated imported water to supplement the shortage of local stormwater replenishment. The RDA II assessment is on all production and the purchased water is added to the natural Basin water supply, with no specific rights to recover the water. Production during fiscal year 2016-17 was the first year RDA II assessment was

applied. At \$40/AF, about 11,400 acre-feet was purchased at the end of calendar year 2017. Production during fiscal year 2017-18 was the second year RDA II assessment was applied. At \$70, about 19,000 acre-feet was purchased at the end of calendar year 2018. The RDA II assessment is intended to increase to \$175/AF within the next three years. Over the ensuing three years it is projected Upper District's RDA II obligation will be about 20,100 acre-feet to be delivered by the end of calendar year 2019, about 25,600 acre-feet to be delivered by the end of calendar year 2020, and about 30,300 acre-feet to be delivered by the end of calendar year 2021. The MWD Pre-delivery Agreement obligates Upper District/Watermaster to purchase 16,000 acre-feet per year as previously noted. Consequently, with a current SWP allocation of 70 percent and projected RDA II revenue to purchase additional untreated imported water, there is an opportunity to extend both the duration and the quantity of untreated imported water stored in the Main Basin pursuant to the MWD Pre-delivery Agreement.

### **Deliveries of Supplemental Water**

In addition to Basin replenishment from local water supply, the groundwater elevation at the Key Well is impacted by the amount of Supplemental Water delivered as Replacement Water, RDA Water and for Cyclic Storage accounts. A summary of historical Supplemental Water deliveries is shown on Table 5. The following sections describe Supplemental Water deliveries, as 1) Replacement Water for Upper District, San Gabriel District and Three Valleys District; 2) MWD Agreement water; 3) Producer and other Cyclic Storage accounts and 4) Future Deliveries.

#### **Replacement Water**

Section 42 of the amended Judgment states in part, "... Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria and, insofar as practicable, to maintain the water level at the Key Well above Elevation two hundred (200)." (As of April 26, 2019, the groundwater elevation at the Key Well was 196.0 feet.) Typically, establishing a lower Operating Safe Yield results in decreased water rights, increased Replacement Water obligations and, consequently, increased deliveries of imported water as Replacement Water. However, thus far, there is a lot of Cyclic Storage water in accounts, which can be deducted to meet Replacement Water obligations instead of delivering water to the Basin. Thus, lowering the Operating Safe Yield would have little or no impacts on the Basin water levels and groundwater supply management in the near term, but would help accelerate the withdrawal from Cyclic Storage and increase the opportunity to deliver Replacement Water.

#### **Fiscal Year 2018-19 Supplemental Water Deliveries (Replacement Water) Plus Stormwater Augmentation Program Water**

The following discusses Upper District, San Gabriel District and Three Valleys District deliveries during fiscal year 2018-19.

Following the conclusion of fiscal year 2017-18, it was determined Upper District had no Replacement Water requirement to be delivered during 2018-19 through USG-3 (due to Producer Cyclic Storage water) and 3,000 acre-feet will be delivered through USG-5. In addition, Upper District had a RDA II requirement of about 15,300 acre-feet to be delivered during 2018-19. As of March 31, 2019, a total of 2,218.6 acre-feet was delivered through USG-5 leaving a Replacement Water balance of 871.4 acre-feet. As of March 31, 2019, the RDA II requirement of 15,300 acre-feet had been delivered.

Following the conclusion of fiscal year 2017-18, it was determined San Gabriel District had a Replacement Water requirement of 15,320.61 acre-feet to be delivered during 2018-19. As of March 31, 2019, San Gabriel District delivered the Replacement Water requirement of 15,320.61 acre-feet. In addition, San Gabriel District had a RDA II requirement of about 2,471 acre-feet to be delivered during 2018-19. As of March 31, 2019, the RDA requirement of 2,471 acre-feet had been delivered.

Following the conclusion of fiscal year 2017-18, it was determined Three Valleys District had no Replacement Water requirement to be delivered during 2018-19. Three Valleys District had a RDA II requirement of 1,100 acre-feet to be delivered during 2018-19. As of March 31, 2019, the full RDA requirement of 1,100 acre-feet had been delivered.

#### **Estimated 2019-20 Supplemental Water Delivery Requirements (Replacement Water) Plus Stormwater Augmentation Program Water**

The estimated fiscal year 2018-19 over-production in the Basin is about 43,400 acre-feet. It is assumed much of the over production will be satisfied by a deduction from water in Producers' Cyclic Storage accounts.

It is estimated Upper District Producers' over-production will be about 30,100 acre-feet. After deductions from Producer's Cyclic Storage accounts, it is anticipated there will be no Replacement Water requirement to be delivered through USG-3, 27,100 acre-feet pre-delivery of Replacement Water into Producers' Cyclic Storage accounts and about 3,000 acre-feet of Replacement Water to be delivered through USG-5 in 2019-20. In addition, Upper District has an estimated RDA II requirement of 20,100 acre-feet to be delivered during 2019-20 for a total estimated Supplemental Water delivery requirement of 50,200 acre-feet ( $0 + 27,100 + 3,000 + 20,100$ ) during 2018-19. Furthermore, as the result of a 70 percent SWP allocation, there may be the opportunity for MWD to deliver additional amounts of untreated imported water to the Main Basin under the terms of the MWD Pre-delivery Agreement.

It is estimated San Gabriel District Producers will have over-production of about 9,900 acre-feet and consequently a Replacement Water requirement of 9,900 acre-feet to be delivered in fiscal year 2018-19. In addition, San Gabriel District has an estimated RDA II requirement of 3,200 acre-feet to be delivered during 2019-20, for a

total estimated Supplemental Water delivery requirement of 13,100 acre-feet (9,900 + 3,200) during 2019-20. As previously discussed, San Gabriel District has an annual obligation of 5,000 acre-feet to MWD. Therefore, the total delivery requirement for San Gabriel District during 2019-20 is approximately 18,100 acre-feet (13,100 + 5,000). (San Gabriel District also has a deferred Replacement Water account balance of about 4,800 acre-feet.)

It is estimated Three Valleys District producers will have over-production of about 3,400 acre-feet and consequently a Replacement Water requirement of 3,400 acre-feet to be delivered in fiscal year 2018-19. Three Valleys District has an estimated RDA II requirement of 1,500 acre-feet to be delivered during 2019-20. The total delivery requirement for Three Valleys District during 2019-20 is approximately 4,900 acre-feet (3,400 + 1,500).

### **Cyclic Storage Water**

Cyclic Storage water is a pre-delivery of Replacement Water. Under the terms of Cyclic Storage agreements, the Individual Producers may make deliveries to Watermaster out of their Cyclic Storage accounts to satisfy Replacement Water requirements which are accounted for following June 30 of each year. The Responsible Agencies may make deliveries to Watermaster out of their Cyclic Storage accounts to satisfy Replacement Water requirements as of June 30 of each year.

There are Cyclic Storage agreements between Watermaster and each of the Responsible Agencies which provide for the total storage of up to 190,000 acre-feet of Supplemental (Replacement) Water in the Basin. This includes up to 50,000 acre-feet for San Gabriel District, up to 100,000 acre-feet for the MWD and Upper District, and up to 40,000 acre-feet for MWD and Three Valleys District. In addition, there are 21 producer Cyclic Storage agreements in which up to 142,000 acre-feet can be stored. The total amount of water that could be stored in existing Cyclic Storage accounts is up to 332,000 acre-feet. As of March 31, 2019 there was a total of about 167,300 acre-feet (about 119,800 acre-feet in cyclic storage accounts and about 47,500 acre-feet in MWD Pre-Delivery account) in Basin cyclic storage (represents about 21 feet at the Key Well).

Water in Cyclic Storage is available to supply Replacement Water by transfer to Watermaster in-lieu of physically delivering Supplemental Water. This is typically done at the discretion of the storing party. Table 3 is a summary of the monthly Cyclic Storage account balances since July 1, 2012. The storage balance in all of the Basin Cyclic Storage accounts on July 1, 2018, the balance as of March 31, 2019 and the estimated balance as of June 30, 2019, is shown below in acre-feet.

	Cyclic Storage as of July 1, 2018	Account Balance as of March 31, 2019	Estimated Balance as of June 30, 2019 <sup>1/</sup>
San Gabriel Valley Municipal Water District	16,998	4,714	13,000
Upper San Gabriel Valley Municipal Water District	6,718	11,934	12,000
Three Valleys Municipal Water District	16,075	14,282	15,000
Producers in San Gabriel District	2,971	2,971	3,000
Producers in Upper District	42,463	57,717	63,000
Producers in Three Valleys District	1,080	4,300	4,300
Watermaster Pre-purchases	0	0	0
RDA I	12,756	12,756	12,800
Puente Basin Agency Storage and Export	14,384	11,099	11,600
MWD Cyclic Agreement (intended for RDA II)	<u>11,398</u>	<u>47,517</u>	<u>47,500</u>
	124,843	167,290	182,200

1/ It is assumed Replacement Water requirements will be deducted from Cyclic Storage accounts following the end of fiscal year 2018-19. It is assumed 2019 SWP water allocation is 70 percent.

### **BASIN CONDITIONS - CARRY-OVER RIGHTS**

In accordance with the Judgment Section 49, "...Any Pumper's Share of the Operating Safe Yield and the Production Right of any Integrated Producer, which is not produced in a given fiscal year, may be carried over and accumulated for one fiscal year..." Establishing high operating safe yields will normally result in increased Carry-over Rights. These Carry-over Rights must be used by the Producer in the next year or can be leased to another Producer for use in that year. The first water produced in the succeeding fiscal year is deemed to be the Carry-over water. Leasing of water rights, including Carry-over Rights, also usually results in a reduction of the amount of water subject to Replacement Water assessments and, thus a decrease in delivery of Replacement Water to the Basin.

The amount of Carry-over Rights is considered when recommending the Operating Safe Yield. The Carry-over Rights at the beginning of fiscal year 2017-18 were approximately 34,900 acre-feet and decreased to 29,700 acre-feet at the beginning of fiscal year 2018-19. It is estimated the Carry-over Rights at the beginning of fiscal year 2019-20 will be about 25,000 acre-feet. Historical Carry-over Rights and lost Carry-over Rights are shown on Table 1.

### **BASIN CONDITIONS - ESTIMATED WATER PRODUCTION DURING 2018-19**

Historical water production under the Judgment since July 1, 1973, has been reported and recorded on a quarterly basis, as shown in Table 6. The preliminary total water production for the first two quarters of fiscal year 2018-19 was about 106,000



acre-feet. Figure 7 shows quarterly production in the Basin for the past 11 years (fiscal years 2007-08 through 2017-18) plus fiscal year 2018-19. Anticipated groundwater production for fiscal year 2018-19 has been estimated below.

The reported production for the first two quarters of fiscal year 2018-19 was about 106,000 acre-feet. Assuming production for the last two quarters of fiscal year 2018-19 is similar to the production for the last two quarters of the most recent three-year average (2015-16, 2016-17, 2017-18), which was about 90,000 acre-feet, total fiscal year 2018-19 production will be about 196,000 acre-feet (106,000 + 90,000). Based on this information, it is anticipated groundwater production during fiscal year 2018-19 will be about 195,000 acre-feet. This represents a decrease from fiscal year 2017-18 production which was 209,500 acre-feet. Direct treated water deliveries have remained about the same, as described below. In addition, drought conservation activities have continued, which also have impacted production. Figure 7 shows production for the past 11 years and the estimated groundwater production for fiscal year 2018-19.

The historical total demand in the Basin is met by local water production and direct treated imported water deliveries. During fiscal year 2017-18, direct treated imported water sales were about 13,600 acre-feet, as shown in Table 7. Estimated direct treated imported water sales for fiscal year 2018-19 is about 15,000 acre-feet. Total demand during fiscal year 2018-19 is estimated to be about 210,000 acre-feet (195,000 + 15,000) and is about 20,000 acre-feet below the 7-year average total water demand of 232,000 acre-feet, as shown in Table 7.

#### **FISCAL YEAR 2018-19 OPERATING SAFE YIELD DETERMINATION**

On May 2, 2018, Watermaster considered the Engineer's recommended Preliminary Operating Safe Yield of 150,000 acre-feet for fiscal year 2018-19. At that time, the total rainfall in the Basin from July 1, 2017 to April 30, 2018, as represented by the Puddingstone Dam station, was 6.76 inches or 39 percent of long-term average for that period. (The total annual rainfall at the Puddingstone Dam station for fiscal year 2017-18 was 7.03 inches, representing about 39 percent of average.) The groundwater elevation at the Key Well at the time of the May 2018 Watermaster meeting was 181.7 feet and decreasing at the rate of about 0.3 feet per week. Total water in local storage reservoirs was 25,000 acre-feet of which about 14,500 acre-feet were available for groundwater storage and/or for delivery for direct use.

At its May 2, 2018 meeting, Watermaster established the Operating Safe Yield at 150,000 acre-feet for fiscal year 2018-19 and an estimated Operating Safe Yield of 130,000 acre-feet for fiscal years 2019-20, 2020-21, 2021-22 and 2022-23.

## **CONCLUSIONS**

Local replenishment from runoff in the San Gabriel Valley has been significantly below the historical long-term annual average of about 111,000 acre-feet since the beginning of fiscal year 2011-12 (see Table 2), a period of seven (7) consecutive years (2011-12, 2012-13, 2013-14, 2014-15, 2015-16, 2016-17, and 2017-18). In addition, rainfall in the San Gabriel Valley has been significantly below the long-term average of about 18 inches per year from July 2011 to November 2018 (see Table 1).

As a result of this recent drought, the groundwater elevation at the Key Well decreased from 233.5 feet on June 24, 2011 to 169.4 feet on November 21, 2018, a decrease of about 64 feet. This represents a loss of over 510,000 acre-feet. Without Cyclic Storage and the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse, as shown on Figure 2. Since November 2018 the groundwater elevation has increased to about 196 feet partially as a result of Supplemental Water deliveries.

During this recent drought, the Watermaster has become more pro-active by implementing provisions of the Judgment, and developing and instituting new studies, programs and plans to address the drought conditions as they progressively worsened. The 2012 Judgment Amendments provided Watermaster with increased management flexibility and adaptability; and broad discretion in the making of Basin management decisions. Without the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse. The following are Watermaster and Producer Actions: RDA, Storm Water Capture, Cyclic Storage, Conservation, Recycled Water for Replenishment, Basinwide Low Water Vulnerability Assessment, In-Lieu Program, Assist Drought Impacted Purveyors, Stormwater Augmentation Program and MWD Water Supply Agreement.

On April 26, 2019 the groundwater elevation at the Key Well was 196.0 feet, at which time 168,700 acre-feet (about 21 feet) were in Cyclic Storage (about 121,200 acre-feet in cyclic storage accounts and about 47,500 acre-feet in MWD Pre-Delivery account). The use of Cyclic Storage helps increase water levels and increases Replacement Water delivery reliability, but reduces wet Replacement Water deliveries. Due to significant quality of Cyclic Storage water, setting a “lower” Operating Safe Yield will have almost no short-term impact on Basin water levels/supplies, but in the long-term will gradually deplete Supplemental Water in Cyclic Storage and allow for additional wet Replacement Water to be delivered to the Basin.

Thus far during fiscal year 2018-19, rainfall at Puddingstone Dam has been about 22.08 inches which is about 126 percent of average, through April 30, 2019. Assuming average rainfall continues the rest of the year and Morris Reservoir releases are maintained, the operational groundwater elevation at the Key Well could be about 170 feet by October 2019 (measured level at 190 feet.)

As of April 30, 2019, rainfall in the San Gabriel River watershed has been about 127 percent of average for that time of year. Preliminary data indicate approximately 92,000 acre-feet (about 93 percent of average) of local runoff was replenished in the Basin between October 1, 2018 and April 30, 2019. In addition, 19,000 acre-feet of RDA II water, as part of the Stormwater Augmentation Program, was replenished to supplement “local water” and included under “Local Runoff” in Table 2. Consequently, the total Local Runoff plus RDA II is 111,000 (92,000 + 19,000) acre-feet (112 percent of average). The average annual local water Basin replenishment is about 99,000 acre-feet, as shown on Table 2. The Stormwater Augmentation Program helped keep Key Well elevation stable and not drop further, thus achieving its goal and purpose.

The “Stormwater Augmentation Program,” purchases available untreated imported water to supplement the shortage of local stormwater replenishment. The RDA II assessment is on all production and the purchased water is added to the natural Basin water supply, with no specific rights to recover the water. Production during fiscal year 2016-17 was the first year RDA II assessment was applied. At \$40/AF, about 11,400 acre-feet was purchased at the end of calendar year 2017. Production during fiscal year 2017-18 was the second year RDA II assessment was applied. At \$70, about 19,000 acre-feet was purchased at the end of calendar year 2018. The implementation of the RDA II on all production provides additional Supplemental Water to the Basin, and does not support a lower Operating Safe Yield.

As stated earlier in the Report, Section 42 of the amended Judgment states in part, “...Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria and, in so far as practicable, to maintain the water level at the Key Well above Elevation two-hundred (200)”. The Judgment criteria essentially establishes the Operating Safe Yield and delivery of Replacement Water as the primary Watermaster tool to manage groundwater supplies for the Basin. This management goal became not “practicable”, as a result unprecedented local drought conditions, and resulted in the RDA II – Stormwater Augmentation Program. The Stormwater Augmentation Program has resulted in the important recovery of Basin water levels and an addition to Watermaster’s Basin management approach under Section 42, of the amended Judgment. The RDA II Program will likely continue to be an additional management tool for Watermaster until Basin water levels fully recover and demonstrate sustainability, and annual Replacement Water requirements reduce the large quantity of water held in Cyclic Storage. In this regard, a lower Operating Safe Yield will expedite the reduction of water held in Cyclic Storage.

Based on the evaluation presented in this Report, the Engineer’s recommended Operating Safe Yield should be maintained for fiscal year 2019-20 at 150,000 acre-feet. The Engineer also recommends the Watermaster should consider maintaining the Operating Safe Yield at no more than 150,000 acre-feet until such time the operational elevation at the Key Well is significantly above elevation 200 feet (currently about 175 feet, excluding about 20 feet of water from cyclic storage), in accordance with the Judgment provisions. Setting the Operating Safe Yield lower than

150,000 acre-feet may be considered to help reduce the large quantity of water held in Cyclic Storage.

### **ADOPTED OPERATING SAFE YIELD**

On May 1, 2019, Watermaster held a hearing on the preliminary determination of Operating Safe Yield, which was submitted to Watermaster on April 3, 2019, in accordance with Section 43(a) of the Judgment. After review by its Engineer and comments received by those at the hearing, Watermaster approved the establishment of the Operating Safe Yield of the Main San Gabriel Basin at 150,000 acre-feet for fiscal year 2019-20, as shown below.

<b><u>Fiscal Year</u></b>	<b><u>Operating Safe Yield (Acre-feet)</u></b>
2019-20	150,000
2020-21	130,000
2021-22	130,000
2022-23	130,000
2023-24	130,000

Attached, as Appendix "B", is a tabulation showing each Pumper's Share in percent and the number of acre-feet each Producer can produce from the Basin free of Replacement Water assessments for quantities of Operating Safe Yield 130,000 acre-feet per year to 160,000 acre-feet per year. Those producers shown to have a share less than five acre-feet prior to June 21, 2012 are Minimal Producers and are allowed to produce up to five acre-feet free of Replacement Water assessments.

Z:\Jobs\1205\1205-04\2019-20\Final\OSYRPT Final\_2019-20.docx

TABLE 1

**ANNUAL OPERATING SAFE YIELD,  
PRODUCTION RIGHTS, WATER PRODUCTION  
AND REPLACEMENT WATER REQUIREMENTS  
(ACRE-FEET)**

FISCAL YEAR	RAINFALL AT PUDDINGSTONE STA. NO. 98C-E (INCHES) 1/	MEASURED KEY WELL ELEVATION (FEET) 2/	OPERATING SAFE YIELD	CARRY OVER RIGHTS FROM PREVIOUS YEAR	LOST CARRY OVER RIGHTS	PRODUCTION RIGHTS	WATER PRODUCTION	BASIN OVER PRODUCTION		
								REPLACEMENT WATER REQUIREMENT	PRODUCER CYCLIC STORAGE	TOTAL
1973-74	15.05	238.4	226,800	—	--	238,132.94	235,460.40	14,518.98	0.00	14,518.98
1974-75	14.57	234.8	210,000	17,191.52	203.36	237,913.46	225,221.86	8,421.93	0.00	8,421.93
1975-76	7.77	221.1	200,000	20,908.91	131.06	231,391.95	242,246.36	24,744.88	0.00	24,744.88
1976-77	15.72	211.4	150,000	13,759.41	861.12	174,193.45	210,340.40	48,650.71	0.00	48,650.71
1977-78	40.08	270.4	150,000	9,980.67	1,198.54	170,473.30	195,275.53	36,818.25	0.00	36,818.25
1978-79	24.88	266.6	170,000	8,950.43	78.11	189,439.67	214,919.54	34,404.83	0.00	34,404.83
1979-80	33.76	282.4	220,000	6,745.88	81.54	237,226.13	223,088.89	9,896.39	0.00	9,896.39
1980-81	9.74	252.4	230,000	21,960.87	202.89	262,445.19	230,832.31	5,477.08	0.00	5,477.08
1981-82	19.94	245.5	210,000	35,642.01	380.30	255,281.37	220,391.54	10,582.35	0.00	10,582.35
1982-83	37.80	292.7	200,000	43,261.87	304.02	253,049.93	209,949.43	3,293.23	0.00	3,293.23
1983-84	12.09	267.1	230,000	45,378.26	80.10	287,394.98	236,679.19	2,151.85	1,573.60	3,725.45
1984-85	14.42	245.8	210,000	51,594.26	344.48	272,050.11	242,439.63	12,475.69	0.00	12,475.69
1985-86	23.33	250.8	190,000	40,395.40	198.50	240,319.81	246,223.58	33,774.82	0.00	34,774.82
1986-87	9.61	236.5	200,000	25,403.49	106.93	235,923.93	253,633.02	41,828.86	0.00	41,828.86
1987-88	16.79	224.0	190,000	22,457.73	143.63	222,985.31	248,101.54	51,989.89	0.00	51,989.89
1988-89	14.00	219.8	180,000	21,710.19	61.61	214,810.57	253,694.47	59,384.99	0.00	59,384.99
1989-90	12.11	206.5	180,000	19,741.33	282.28	210,268.35	252,135.76	62,582.49	0.00	62,582.49
1990-91	18.29	200.3	170,000	17,837.99	387.33	199,467.55	232,091.44	41,232.39	13,112.70	54,345.09
1991-92	23.93	236.9	140,000	18,796.02	345.83	169,575.74	221,476.83	31,214.19	35,916.90	67,131.09
1992-93	40.44	267.8	180,000	13,478.79	189.05	204,009.40	236,677.04	15,858.66	50,031.39	65,890.05
1993-94	12.44	248.8	220,000	31,718.29	462.81	262,029.85	243,616.55	8,915.59	25,422.42	34,338.01
1994-95	29.38	269.0	200,000	50,290.41	1,065.79	260,802.71	243,479.39	30,194.77	0.00	30,194.77
1995-96	15.92	248.9	220,000	44,262.41	737.28	274,608.47	268,950.50	32,526.05	0.00	32,526.05
1996-97	18.47	241.3	210,000	35,484.68	863.84	256,011.19	279,481.35	55,236.24	0.00	55,236.24
1997-98	35.84	267.8	220,000	28,965.55	704.70	263,725.27	253,921.28	26,362.42	4,331.64	30,694.06
1998-99	7.93	244.8	230,000	34,016.10	124.28	277,282.73	265,151.97	30,499.32	2,859.66	33,358.98
1999-00	14.65	228.5	220,000	40,633.83	592.51	274,824.14	278,687.14	39,749.83	3,663.84	43,625.83
2000-01	17.04	220.1	220,000	33,774.80	570.83	267,126.29	270,919.13	38,317.35	2,825.02	41,142.37
2001-02	6.41	208.7	210,000	32,015.15	532.59	258,992.70	264,328.17	40,773.50	6,450.10	47,223.60
2002-03	19.99	204.1	190,000	32,833.12	159.50	240,450.90	237,490.86	38,519.29	5,948.75	44,468.04
2003-04	12.77	204.2	170,000	38,370.38	79.24	224,691.75	252,811.50	51,416.73	8,870.23	60,286.96
2004-05	44.08	248.4	170,000	24,549.23	53.76	219,049.64	247,187.00	41,043.83	18,736.93	59,780.76
2005-06	16.82	249.7	240,000	17,402.45	156.28	268,418.02	259,807.52	12,065.12	6,908.92	18,974.04
2006-07	4.55	220.5	240,000	27,862.73	90.80	278,386.20	284,328.04	20,048.99	7,309.89	27,358.88
2007-08	16.17	202.7	210,000	29,374.42	182.17	249,433.95	258,167.00	28,777.98	9,157.53	37,935.51
2008-09	14.59	195.6	180,000	33,902.42	778.21	224,028.56	250,102.62	28,473.24	30,239.02	58,712.26
2009-10	20.04	204.2	170,000	28,729.17	236.31	210,117.25	237,846.31	35,129.38	14,929.92	50,059.30
2010-11	19.45	233.5	170,000	20,695.69	167.70	201,220.31	227,657.15	33,084.38	15,382.66	48,467.04
2011-12	12.06	226.4	210,000	21,657.47	166.96	242,181.86	237,028.57	19,685.04	20,704.45	40,389.49
2012-13	7.84	202.8	200,000	44,143.15	268.13	254,314.47	242,913.84	5,972.15	23,673.25	29,645.40
2013-14	4.77	187.8	180,000	42,864.86	377.39	233,389.45	240,552.41	3,779.32	36,325.98	40,105.30
2014-15	10.01	177.5	150,000	36,753.33	419.84	197,280.18	208,339.16	12,319.13	33,508.84	45,827.97
2015-16	10.04	174.0	150,000	35,226.32	284.47	195,752.95	182,826.49	6,909.20	19,510.99	26,420.19
2016-17	20.92	179.4	150,000	39,299.44	285.56	199,994.06	197,243.28	7,526.21	24,009.59	31,535.80
2017-18	6.92	178.5	150,000	34,893.57	144.60	195,420.20	209,499.70	12,520.95	27,409.98	39,930.93
2018-19	22.08	3/ 196.0 4/	150,000	29,648.97	--	190,200 5/	195,000 6/	--	--	--
7-YEAR DROUGHT AVERAGE:	10.37	--	170,000	--	--	--	216,915	--	--	--
10-YEAR AVERAGE:	12.66	--	171,000	33,816.54	312.92	215,369.93	223,400.95	16,339.90	24,569.47	40,909.37
45-YEAR AVERAGE:	17.85	--	193,707	29,429.86	342.87	234,130.81	239,404.79	28,825.52	9,973.65	36,826.06

1/ Water Year

2/ End of Fiscal Year, July to June

3/ As of April 30, 2019

4/ As of April 26, 2019

5/ Estimated value including Carry-over Rights and Diversion Rights

6/ Estimated value

TABLE 2

# **RAINFALL AND WATER REPLENISHMENT OF MAIN SAN GABRIEL BASIN**

WATER YEAR 1/	RAINFALL AT PUDDINGSTONE STA. NO. 96C-E (INCHES)	WATER REPLENISHED IN THE MAIN SAN GABRIEL BASIN			MEASURED BALDWIN PARK KEY WELL ELEV. AT END OF WATER YEAR (FT)	OPERATIONAL BALDWIN PARK KEY WELL ELEV. AT END OF WATER YEAR (FT)
		LOCAL RUNOFF (AF)	IMPORTED (AF) 2/	TOTAL (AF)		
1973-74	15.05	92,000	8,835	100,835	234	234
1974-75	14.57	62,000	14,564	76,564	226	226
1975-76	7.77	22,400	28,018	50,418	214	212
1976-77	15.72	21,000	18,335	39,335	206	203
1977-78	40.08	262,400	20,549	282,949	259	258
1978-79	24.88	160,000	30,968	190,968	254	253
1979-80	33.76	227,700	5,805	233,505	269	268
1980-81	9.74	49,100	0	49,100	243	242
1981-82	19.94	92,200	42,623	134,823	240	239
1982-83	37.80	298,800	28,345	327,145	284	283
1983-84	12.09	70,000	3,326	73,326	256	255
1984-85	14.42	32,700	66	32,766	240	239
1985-86	23.33	70,200	55,862	126,062	241	234
1986-87	9.61	26,700	55,943	82,643	238	228
1987-88	16.79	48,500	43,989	92,489	218	208
1988-89	14.00	33,000	45,925	78,925	211	201
1989-90	12.11	37,700	47,504	85,204	201	193
1990-91	18.29	95,500	54,153	149,653	205	199
1991-92	23.93	222,100	68,304	290,404	237	230
1992-93	40.44	220,000	62,632	282,632	268	265
1993-94	12.44	43,000	38,296	81,296	250	247
1994-95	29.38	210,500	22,354	232,854	266	261
1995-96	15.92	105,900	32,480	138,380	248	238
1996-97	18.47	34,700	55,075	89,775	239	228
1997-98	35.84	171,600	62,887	234,487	264	255
1998-99	7.93	48,200	13,346	61,546	239	230
1999-00	14.65	66,500	59,559	126,059	226	214
2000-01	17.04	84,900	34,998	119,898	217	206
2001-02	6.41	55,900	60,543	116,443	205	194
2002-03	19.99	55,200	63,508	118,708	203	189
2003-04	12.77	45,600	67,533	113,133	197	180
2004-05	44.08	398,000	19,921	417,921	248	237
2005-06	16.82	138,600	88,014	226,614	240	225
2006-07	4.50	47,800	24,780	72,580	213	199
2007-08	16.25	85,400	7,727	93,127	203	191
2008-09	14.82	73,800	6,607	80,407	191	185
2009-10	20.02	157,400	32,708	190,108	204	198
2010-11	19.45	241,500	68,424	309,924	234	227
2011-12	12.06	39,100	57,846	96,946	212	203
2012-13	7.84	24,600	44,678	69,278	196	188
2013-14	4.77	21,900	36,717	58,617	182	174
2014-15	10.01	14,500	41,519	56,019	174	165
2015-16	10.04	35,200	60,092 1/	95,292	172	161
2016-17	20.92	92,200	91,316 1/	183,516	182	163
2017-18	6.92	29,410	55,115	84,524	172	152
2018-19	22.00	3/ 111,000 4/	42,100 5/	153,100 5/	196	175 6/
7-Year Drought	10.37	36,701	55,326	92,027	--	--
10-Year Average	12.69	72,961	49,502	122,463	--	--
45-Year Average	17.86	99,231	39,595	138,827	--	--

1/ October 1 to September 30

2/ July 1 to June 30

3/ As of April 29, 2019

4/ Preliminary data as of April 30, 2019. Includes 19,000 AF of Stormwater Augmentation Program water.

5/ October 1, 2018 to April 30, 2019. Excludes deliveries through USG-5 and 19,000 AF of RDA II water.

6/ As of April 26, 2019

TABLE 3

**MONTHLY STORAGE ACCOUNTS  
AND EFFECT ON KEY WELL**

END OF MONTH	ACCUMULATED CYCLIC STORAGE ACCOUNTS (acre-feet)					ADDITIONAL STORAGE ACCOUNTS				TOTAL	ESTIMATED KEY WELL ELEVATION INCREASE DUE TO STORAGE ACCOUNTS (FT) 1/	OPERATIONAL KEY WELL ELEVATION (WITHOUT STORAGE ACCOUNTS) (FT)	MEASURED KEY WELL ELEVATION (FT)
	MWD/UD	SGVMWD	MWD/TV	MWD AGREEMENT	PRODUCER	TOTAL CYCLIC STORAGE	WATERMASTER PRE-PURCHASES	PUEBTE BASIN WATER AGENCY	RESOURCE DEVELOPMENT (RDA I)				
Jul-12	0.00	20,356.14	8,600.3	--	35,926.74	64,883.2	--	--	--	64,883.18	8.11	209.6	217.7
Aug-12	0.00	23,164.06	8,600.3	--	35,926.74	67,691.1	--	--	--	67,691.10	8.46	206.0	214.5
Sep-12	0.00	25,908.32	8,600.3	--	35,926.74	70,435.4	--	--	--	70,435.36	8.80	203.6	212.4
Oct-12	0.00	29,265.59	8,716.3	--	45,495.74	83,477.6	--	--	--	83,477.63	10.43	200.7	211.1
Nov-12	0.00	7,641.19	11,371.2	--	55,495.74	74,508.1	--	--	--	74,508.13	9.31	204.1	213.4
Dec-12	0.00	9,273.89	13,348.6	--	55,495.74	78,118.2	--	--	--	78,118.23	9.76	203.8	213.6
Jan-13	0.00	11,303.77	13,348.6	--	55,495.74	80,148.1	--	--	--	80,148.11	10.02	203.0	213.0
Feb-13	0.00	11,226.13	13,348.6	--	55,495.74	80,070.5	--	--	--	80,070.47	10.01	201.9	211.9
Mar-13	0.00	11,143.18	13,828.5	--	55,495.74	80,467.4	--	--	--	80,467.42	10.06	200.1	210.2
Apr-13	0.00	11,064.94	13,411.50	--	55,495.74	79,972.2	--	--	--	79,972.18	10.00	198.3	208.3
May-13	0.00	13,399.46	13,545.80	--	55,495.74	82,441.0	--	--	--	82,441.00	10.31	194.9	205.2
Jun-13	0.00	15,683.07	13,545.80	--	55,495.74	84,724.6	--	--	--	84,724.61	10.59	192.2	202.8
Jul-13	0.00	17,890.48	13,655.80	--	31,464.49	63,010.8	4,555.70	--	--	67,566.47	8.45	191.9	200.3
Aug-13	0.00	17,801.32	14,491.60	--	31,464.49	63,757.4	5,034.70	--	--	68,792.11	8.60	188.8	197.4
Sep-13	0.00	17,714.22	14,189.60	--	32,464.49	64,368.3	4,672.74	--	--	69,041.05	8.63	187.4	196.0
Oct-13	0.00	17,622.55	14,147.40	--	44,821.46	76,591.4	4,672.74	--	--	81,264.15	10.16	184.7	194.9
Nov-13	0.00	14,984.50	14,391.40	--	48,454.61	77,830.5	4,672.74	--	--	82,503.25	10.31	186.8	197.1
Dec-13	0.00	14,903.04	14,546.40	--	49,206.58	78,656.0	4,672.74	--	--	83,328.76	10.42	187.1	197.5
Jan-14	0.00	14,817.43	14,807.70	--	45,169.74	74,794.9	4,672.74	--	--	79,467.61	9.93	187.0	196.9
Feb-14	0.00	14,744.65	14,820.90	--	43,448.81	73,014.4	4,672.74	--	--	77,687.10	9.71	186.0	195.7
Mar-14	0.00	14,659.90	14,876.90	--	42,132.17	71,669.0	4,672.74	--	--	76,341.71	9.54	184.7	194.3
Apr-14	5,000.00	6,811.13	14,876.90	--	38,344.74	65,032.8	4,672.74	--	--	69,705.51	8.71	183.9	192.6
May-14	5,000.00	6,719.84	14,876.90	--	34,307.90	60,904.6	4,672.74	--	--	65,577.38	8.20	181.7	189.9
Jun-14	5,000.00	6,601.88	14,876.90	--	30,271.07	56,749.9	4,672.74	--	--	61,422.59	7.68	180.1	187.8
Jul-14	5,000.00	6,513.62	14,876.90	--	30,724.60	57,115.1	4,672.74	--	--	61,787.86	7.72	178.2	185.9
Aug-14	5,000.00	6,720.99	14,876.90	--	32,229.60	58,827.5	4,672.74	--	--	63,500.23	7.94	176.2	184.2
Sep-14	5,000.00	7,550.15	14,876.90	--	33,734.60	61,161.7	4,672.74	--	--	65,834.39	8.23	174.0	182.3
Oct-14	0.00	7,469.52	14,876.90	--	40,738.30	63,084.7	4,672.74	--	--	67,757.46	8.47	172.4	180.9
Nov-14	1,000.00	7,394.79	14,876.90	--	45,467.20	68,738.9	3,572.74	--	--	72,311.63	9.04	171.0	180.0
Dec-14	1,000.00	7,314.16	14,876.90	--	46,678.80	71,869.9	3,572.74	--	--	75,442.60	9.43	170.7	180.1
Jan-15	1,000.00	7,232.81	14,876.90	--	52,562.20	75,671.9	3,572.74	--	--	79,244.65	9.91	170.3	180.2
Feb-15	1,000.00	7,159.95	14,876.90	--	58,167.20	81,204.1	3,572.74	--	--	84,776.79	10.60	169.2	179.8
Mar-15	0.00	3,242.63	14,876.90	--	67,197.70	85,317.2	6,562.74	--	--	91,879.97	11.48	168.0	179.5
Apr-15	1,068.00	3,166.58	14,876.90	--	69,697.70	88,809.2	8,572.74	--	--	97,381.92	12.17	166.6	178.8
May-15	4,699.00	3,071.50	14,876.90	--	69,697.70	92,345.1	8,572.74	--	--	100,917.84	12.61	165.6	178.2
Jun-15	5,032.00	2,957.99	14,347.90	--	71,819.96	94,157.9	6,972.74	--	--	101,130.59	12.64	164.8	177.5
Jul-15	5,031.54	4,324.67	14,347.90	--	38,311.12	62,015.2	6,972.74	--	--	68,987.97	8.62	167.5	176.1
Aug-15	5,031.54	6,140.39	14,347.90	--	38,311.12	63,831.0	6,972.74	--	--	70,803.69	8.85	166.2	175.0
Sep-15	10,031.54	2,925.85	14,347.90	--	38,311.12	65,616.4	6,972.74	--	--	72,589.15	9.07	165.3	174.4
Oct-15	10,031.54	3,378.95	14,347.90	--	38,311.12	66,069.5	6,972.74	--	--	73,042.25	9.13	164.9	174.1
Nov-15	10,031.54	3,300.07	15,216.30	--	46,295.82	74,843.7	6,972.74	--	413.00	82,229.47	10.28	163.7	174.0
Dec-15	9,637.64	2,316.72	16,855.30	--	49,821.12	78,630.8	6,972.74	--	6,940.00	92,543.52	11.57	165.4	177.0
Jan-16	5,137.64	2,236.27	16,855.30	--	49,821.12	74,050.3	11,472.74	--	6,940.00	92,463.07	11.56	167.5	179.0
Feb-16	5,138	2,163.72	2,277.00	--	49,821.12	59,399.5	11,472.74	14,578.30	6,940.00	92,390.52	11.55	166.8	178.3
Mar-16	8,139	2,115.36	2,277.00	--	49,821.12	62,352.0	11,472.74	14,578.30	6,940.00	95,343.06	11.92	165.9	177.8
Apr-16	8,139	2,037.46	2,277.00	--	49,821.12	62,274.1	11,472.74	14,578.30	6,940.00	95,265.16	11.91	164.8	176.7
May-16	8,139	2,661.68	2,277.00	--	49,821.12	62,898.3	11,472.74	14,578.30	6,940.00	95,889.38	11.99	163.5	175.5
Jun-16	7,539	5,312.04	2,277.00	--	51,771.12	66,898.7	10,122.74	14,578.30	6,940.00	98,539.74	12.32	161.7	174.0
Jul-16	7,539	8,050.89	2,277.00	--	32,260.13	50,126.6	10,122.74	14,578.30	6,940.00	81,767.60	10.22	162.4	172.6
Aug-16	7,539	10,692.05	2,277.00	--	32,260.13	52,767.7	10,122.74	14,578.30	6,940.00	84,408.76	10.55	162.4	173.0
Sep-16	7,539	13,277.84	2,277.00	--	32,260.13	55,353.5	10,122.74	14,578.30	6,940.00	86,994.55	10.87	161.3	172.2
Oct-16	7,539	4,635.99	2,277.00	--	51,681.63	66,133.2	10,122.74	14,578.30	6,940.00	97,774.20	12.22	161.9	174.1
Nov-16	7,539	7,279.09	4,265.90	--	64,345.63	83,429.2	10,122.74	14,578.30	11,653.00	119,783.20	14.97	161.1	176.1
Dec-16	7,225	2,811.24	14,395.10	--	73,860.13	98,291.6	10,122.74	14,571.80	11,653.00	134,639.15	16.83	163.0	179.8
Jan-17	7,225	2,739.22	14,395.10	--	73,860.13	98,219.6	10,122.74	14,571.80	11,653.00	134,567.13	16.82	164.0	180.8
Feb-17	7,225	4,127.60	14,395.10	--	73,860.13	99,608.0	10,122.74	14,571.80	11,653.00	135,955.51	16.99	164.7	181.7
Mar-17	7,225	6,407.86	14,395.10	--	73,860.13	101,888.2	10,122.74	14,553.62	12,414.00	138,978.59	17.37	165.7	183.1
Apr-17	7,225	9,686.97	14,395.10	--	73,860.13	105,167.3	10,122.74	14,553.62	12,414.00	142,257.70	17.78	165.0	182.8
May-17	7,225	10,381.49	14,395.10	--	73,860.13	105,861.9	10,122.74	14,553.62	12,414.00	142,952.22	17.87	164.1	182.0
Jun-17	7,225	7,842.99	12,000.00	--	76,496.13	103,564.3	9,333.84	13,962.31	12,756.00	139,616.41	17.45	161.9	179.4
Jul-17	7,225	8,605.83	12,000.00	15,239.40	54,052.49	97,122.9	9,333.84	13,962.31	12,756.00	133,175.01	16.65	160.8	177.4
Aug-17	7,225	10,310.61	12,000.00	31,553.10	56,052.49	117,141.3	7,333.84	13,962.31	12,756.00	151,193.49	18.90	158.5	177.4
Sep-17	7,225	12,451.75	12,000.00	41,020.70	62,122.19	134,819.8	1,264.14	13,654.50	12,756.00	162,494.42	20.31	162.0	182.3
Oct-17	7,225	9,215.66	12,000.00	46,020.70	62,122.19	136,583.6	1,264.14	13,654.50	12,756.00	164,258.23	20.53	162.8	183.3
Nov-17	7,225	11,006.89	12,000.00	46,203.80	62,122.19	138,558.0	1,264.14	13,654.50	12,756.00	166,232.66	20.78	162.5	183.3
Dec-17	7,225	7,391.04	13,329.10	31,547.10	62,716.33	122,208.7	0.00	13,097.88	12,756.00	148,062.59	18.51	162.7	181.2
Jan-18	7,188	9,445.40	13,329.10	42,530.40	62,753.23	135,246.4	6,764.00	13,097.88	12,756.00	167,864.25	20.98	161.3	182.3
Feb-18	7,188	12,467.25	12,978.70	42,530.40	62,753.23	137,917.8	6,764.00	13,097.88	12,756.00	170,535.70	21.32	162.3	183.6
Mar-18	7,188	14,757.10	12,978.70	42,530.40	70,064.73	147,519.2	0.00	12,620.96	12,756.00	172,896.13	21.61	161.2	182.8
Apr-18	7,218	14,017.84	16,074.80	42,517.50	73,423.23	153,251.2	0.00	14,384.31	12,756.00	180,391.52	22.55	159.2	181.7
May-18	7,218	14,763.66	16,074.80	42,517.50	73,423.23	153,997.0	0.00	14,384.31	12,756.00	181,137.34	22.64	158.3	180.9
Jun-18	6,718	16,998.43	16,074.80	42,517.50	73,923.23	156,231.8	0.00	14,384.31	12,756.00	183,372.11	22.92	155.6	178.5
Jul-18	6,718	19,670.74	15,025.80	42,517.50	46,513.25	130,445.1	0.00	12,158.36	12,756.00	155,359.49	19.42	156.6	176.0
Aug-18	6,718	21,125.20	15,025.80	42,517.50	46,513.25	131,899.6	0.00	12,158.36	12,756.00	156,813.95	19.60	153.6	173.2
Sep-18	6,718	23,185.29	15,025.80	42,517.50	46,513.25	133,959.7	0.00	11,964.26	12,756.00	158,679.94			

TABLE 4

LOCAL WATER IN STORAGE  
IN SURFACE RESERVOIRS

RESERVOIR	April 30, 2018	April 29, 2019			
	STORAGE (ACRE-FEET)	STORAGE (ACRE-FEET)	INFLOW (CFS)	OUTFLOW (CFS)	RESERVOIR CAPACITY (ACRE-FEET)
Cogswell Dam	1,074	8,122	21	23	10,475
San Gabriel Dam	15,118	38,370	166	20	44,044
Morris Dam	8,809	20,283	0	0	28,736
<b>Sub-Total:</b>	<b>25,001</b>	<b>66,775</b>			<b>83,255</b>
Santa Fe Dam <sup>1/</sup>	0	593	—	211	—
Big Dalton Dam	0	638	2	7	—
San Dimas Dam	202	477	19	23	—
Puddingstone Dam <sup>2/</sup>	6,168	6,637	0	0	—
<b>TOTALS:</b>	<b>31,371</b>	<b>75,120</b>			

1/ Storage is typically zero. Reservoir used for Flood Control purposes only, not storage for water conservation purposes.

2/ Storage is typically about 6,600 acre-feet. Used for recreational purposes, not water conservation purposes.



TABLE 5

**SUPPLEMENTAL WATER DELIVERIES  
TO THE MAIN SAN GABRIEL BASIN  
FOR GROUNDWATER REPLENISHMENT  
(ACRE-FEET)**

FISCAL YEAR	UPPER DISTRICT					THREE VALLEYS DISTRICT					SAN GABRIEL DISTRICT					TOTALS	
	REPLACEMENT WATER		CYCLIC STORAGE	WATERMASTER PRE-PURCHASES	RESOURCE DEVELOPMENT	PRODUCER CYCLIC STORAGE	REPLACEMENT WATER	CYCLIC STORAGE	WATERMASTER PRE-PURCHASES	RESOURCE DEVELOPMENT	PRODUCER CYCLIC STORAGE	REPLACEMENT WATER	USG-5 EXCHANGE REPLACEMENT	CYCLIC STORAGE	WATERMASTER PRE-PURCHASES		TRANSFERS TO MWD CYCLIC STORAGE/DEVELOPMENT
	USG-3	USG-5 2/3															
1974-75	13,731.90	--	--	--	--	--	--	--	--	--	--	--	787.10	--	44.90	--	14,563.90
1975-76	7,121.40	--	12,621.10	--	--	--	--	--	--	--	--	--	1,302.90	--	6,972.10	--	28,017.50
1976-77	10,752.60	2,654.90	52.40	--	--	--	--	--	--	--	--	--	3,814.95	982.93	2,722.12	--	20,989.90
1977-78	14,962.50	2,981.70	0.00	--	--	--	--	--	--	--	--	--	4,470.85	1,115.15	0.00	--	23,530.20
1978-79	24,000.00	3,486.10	0.00	--	--	--	--	--	--	--	--	--	4,112.25	1,303.79	1,551.96	--	34,454.10
1979-80	4,740.60	3,191.00	0.00	--	--	--	--	--	--	--	--	--	0.00	1,064.00	0.00	--	8,995.60
1980-81	0.00	3,130.70	0.00	--	--	--	--	--	--	--	--	--	0.00	0.00	0.00	--	3,130.70
1981-82	40,824.70	2,853.70	0.00	--	--	--	--	--	--	--	--	--	81.84	1,067.28	648.88	--	45,476.40
1982-83	22,934.40	2,256.30	3,189.30	--	--	--	--	--	--	--	--	--	0.00	843.87	1,377.13	--	30,601.00
1983-84	0.00	1,907.10	3,246.70	--	--	--	--	--	--	--	--	--	0.00	79.00	0.00	--	5,232.80
1984-85	0.00	2,395.50	0.00	--	--	--	--	--	--	--	--	--	0.00	66.00	0.00	--	2,461.50
1985-86	3,000.00	2,600.80	47,405.40	--	--	--	--	--	--	--	--	--	4,484.30	972.70	0.00	--	58,463.20
1986-87	19,354.30	2,484.20	23,991.10	--	--	--	--	--	--	--	--	--	4,368.59	929.09	7,300.32	--	58,427.60
1987-88	28,187.30	3,751.30	5,975.00	--	--	--	--	--	--	--	--	--	7,763.11	1,402.99	660.90	--	47,740.60
1988-89	39,100.00	3,726.60	110.70	--	--	--	--	--	--	--	--	--	5,320.25	1,393.75	0.00	--	49,651.30
1989-90	32,740.20	1,716.10	0.00	--	--	--	--	--	--	--	--	--	11,296.63	641.82	2,825.55	--	49,220.30
1990-91	16,078.60	2,734.10	14,453.50	--	--	--	--	--	--	--	--	--	9,485.43	1,022.57	0.00	--	56,886.90
1991-92	7,491.90	2,214.00	23,525.90	--	--	--	--	--	--	--	--	--	8,074.96	828.04	0.00	--	70,517.80
1992-93	16,077.97	2,478.10	10,214.60	--	--	--	--	0.00	3,737.50	25,077.10	--	--	11,418.17	1,202.03	1,064.80	--	85,109.90
1993-94	0.00	3,214.00	0.00	--	--	--	--	0.00	0.00	8,620.14	1,205.80	--	1,205.80	5,419.06	0.00	--	41,509.80
1994-95	0.00	3,178.10	6,177.10	--	--	--	--	0.00	0.00	5,738.60	1,188.61	--	5,691.49	3,557.90	0.00	--	25,531.80
1995-96	15,467.80	3,149.90	85.20	--	--	--	--	0.00	0.00	3,832.00	8,484.59	--	8,484.59	1,178.05	3,432.36	--	35,629.90
1996-97	3,934.10	3,304.50	32,229.90	--	--	--	--	0.00	0.00	1,451.10	1,235.89	--	14,525.94	1,235.89	1,698.17	--	58,379.60
1997-98	21,409.60	3,392.70	24,870.20	--	--	--	--	0.00	0.00	963.10	1,268.85	--	14,061.60	1,288.85	323.55	--	66,279.60
1998-99	0.00	3,353.40	0.00	--	--	--	--	3,311.70	6,198.61	1,254.19	1,254.19	--	9,286.01	1,254.19	2,621.20	--	16,699.10
1999-00	13,645.60	3,508.30	24,416.20	--	--	--	--	0.00	4,418.60	0.00	9,286.01	--	10,464.30	1,228.70	8,605.90	--	65,192.70
2000-01	10,412.80	3,285.30	14,624.30	--	--	--	--	5,593.70	5,593.70	675.20	1,228.70	--	10,464.30	1,228.70	0.00	--	46,274.30
2001-02	25,246.02	3,438.90	1,944.90	--	--	--	--	4,944.10	4,944.10	570.20	1,286.13	--	10,929.17	1,286.13	1,172.70	--	49,532.12
2002-03	33,551.42	3,018.30	0.00	--	--	--	--	2,791.00	3,988.39	0.00	3,988.39	--	3,988.39	1,128.64	15,027.77	--	59,455.72
2003-04	14,166.20	3,058.30	23,603.00	--	--	--	--	1,920.40	672.60	0.00	1,143.80	--	1,143.80	16,815.60	16,815.60	--	71,379.90
2004-05	5,744.20	2,998.00	0.00	--	--	--	--	1,714.50	500.65	0.00	1,121.25	--	10,840.09	1,121.25	10,840.09	--	24,718.70
2005-06	48,069.20	2,815.50	9,400.80	--	--	--	--	357.10	0.00	0.00	1,052.99	--	0.00	1,052.99	12,658.01	--	81,853.60
2006-07	0.00	2,963.30	4,159.20	--	--	--	--	166.70	2,978.00	2,978.00	1,082.29	--	573.59	1,108.29	15,784.12	--	27,743.20
2007-08	0.00	3,027.20	5,724.40	--	--	--	--	0.00	0.00	0.00	91.76	--	91.76	1,132.17	779.07	--	10,754.60
2008-09	0.00	3,064.90	0.00	--	--	--	--	0.00	0.00	0.00	1,146.29	--	788.73	1,146.29	4,671.98	--	9,671.90
2009-10	16,076.40	2,611.50	0.00	--	--	--	--	0.00	0.00	1,427.80	1,886.58	--	1,886.58	976.70	12,340.72	--	35,319.70
2010-11	23,737.90	2,428.20	0.00	--	--	--	--	0.00	0.00	12,264.60	14,655.86	--	14,655.86	908.13	5,211.01	--	70,852.20
2011-12	3,257.20	2,999.40	0.00	--	--	--	--	0.00	0.00	12,871.40	22,426.22	--	22,426.22	1,121.78	0.00	--	60,845.10
2012-13	2,034.70	3,037.40	0.00	--	--	--	--	0.00	0.00	10,098.80	16,269.22	--	16,269.22	1,135.98	5,138.80	--	47,714.90
2013-14	0.00	2,983.90	0.00	--	--	--	--	0.00	0.00	3,110.10	1,115.97	--	1,115.97	1,014.17	0.00	--	39,700.90
2014-15	0.00	2,711.70	4,031.54	--	5,000.00	--	--	0.00	0.00	471.00	192.83	--	192.83	929.95	7,354.05	--	44,230.60
2015-16	0.00	2,486.50	3,107.00	--	0.00	--	--	0.00	0.00	2,507.40	1,000.00	--	1,000.00	0.00	0.00	--	34,334.90
2016-17	0.00	2,876.90	0.00	--	0.00	--	--	0.00	0.00	12,000.00	14,029.70	--	14,029.70	1,075.95	8,132.95	--	79,994.20
2017-18	0.00	2,987.20	44,310.10	--	0.00	--	--	0.00	0.00	4,074.80	4,649.74	--	4,649.74	1,117.22	14,156.04	--	90,929.10
2018-19	0.00	2,128.60	0.00	--	0.00	--	--	0.00	0.00	0.00	3,220.00	--	15,320.61	796.11	0.00	--	61,087.32
11/																	

1/ Estimated as of March 31, 2019.

2/ In-Lieu replenishment through CWEA.

**TABLE 6**  
**HISTORICAL WATER PRODUCTION**  
**(ACRE-FEET)**

<u>FISCAL YEAR</u>	<u>FIRST QUARTER</u>	<u>SECOND QUARTER</u>	<u>THIRD QUARTER</u>	<u>FOURTH QUARTER</u>	<u>TOTAL</u>
1973-74	76,455	51,809	40,649	65,397	234,310
1974-75	77,392	48,530	40,887	56,644	223,454
1975-76	77,811	51,274	47,542	63,439	240,066
1976-77	66,731	52,977	41,987	48,645	210,340
1977-78	59,996	47,251	33,189	54,839	195,275
1978-79	69,708	46,610	36,010	62,593	214,920
1979-80	75,291	51,799	37,496	58,522	223,108
1980-81	73,516	54,159	40,262	62,896	230,832
1981-82	77,656	50,996	39,071	51,819	219,541
1982-83	71,346	46,704	37,995	53,904	209,950
1983-84	69,443	44,463	51,157	69,616	234,679
1984-85	77,766	50,832	45,153	68,689	242,440
1985-86	77,193	53,773	46,083	69,175	246,223
1986-87	77,425	55,643	49,330	71,235	253,633
1987-88	76,057	51,642	53,093	67,319	248,111
1988-89	77,997	57,325	49,245	69,127	253,694
1989-90	77,509	60,257	50,941	63,412	252,118
1990-91	73,887	59,330	43,472	55,384	232,073
1991-92	65,688	54,633	40,696	60,461	221,477
1992-93	74,132	54,047	41,534	66,427	236,139
1993-94	76,624	57,381	47,652	61,949	243,606
1994-95	80,506	57,787	43,202	61,984	243,479
1995-96	81,408	63,428	50,931	73,184	268,950
1996-97	84,588	60,760	56,428	77,705	279,481
1997-98	84,624	60,585	46,940	61,890	254,039
1998-99	83,626	62,349	54,000	65,176	265,152
1999-00	82,395	69,076	53,697	73,519	278,687
2000-01	83,293	65,227	51,776	70,623	270,919
2001-02	82,434	61,691	55,724	64,480	264,328
2002-03	69,276	55,906	49,811	57,797	232,791
2003-04	71,337	56,815	54,740	69,957	252,850
2004-05	77,021	55,480	46,456	68,310	247,266
2005-06	79,323	62,977	53,745	63,894	259,940
2006-07	83,160	66,532	61,808	72,828	284,329
2007-08	75,251	57,898	53,327	71,691	258,167
2008-09	76,053	59,007	49,458	66,029	250,547
2009-10	74,867	56,356	43,456	62,445	237,123
2010-11	71,179	50,002	44,881	60,877	226,939
2011-12	74,369	51,922	48,340	61,659	236,290
2012-13	76,217	53,359	46,418	66,550	242,545
2013-14	73,131	54,706	48,357	64,359	240,552
2014-15	66,954	50,046	43,168	48,171	208,339
2015-16	54,430	42,182	37,364	48,850	182,826
2016-17	59,704	46,491	35,748	55,300	197,243
2017-18	63,580	53,479	41,816	50,625	209,500
2018-19	59,562	46,205	--	--	195,000 1/
7-Year Drought	66,912	50,312	43,030	56,502	216,756
10-Year Average	69,048	51,755	43,900	58,487	223,191
45-Year Average	74,630	55,011	46,334	63,098	239,073


1/ ESTIMATED

TABLE 7

**TOTAL HISTORICAL WATER DEMAND IN BASIN  
(ACRE-FEET)**

<b>FISCAL YEAR</b>	<b>TREATED IMPORTED WATER</b>	<b>TOTAL PRODUCTION</b>	<b>TOTAL DEMAND</b>
1973-74	630	235,460	236,090
1974-75	1,036	225,222	226,258
1975-76	3,539	242,246	245,785
1976-77	9,471	210,340	219,811
1977-78	11,427	195,276	206,702
1978-79	11,724	214,920	226,643
1979-80	13,032	223,089	236,121
1980-81	16,799	230,832	247,631
1981-82	17,402	220,392	237,793
1982-83	14,208	209,949	224,158
1983-84	18,298	236,679	254,977
1984-85	21,676	242,440	264,116
1985-86	20,872	246,224	267,095
1986-87	22,575	253,633	276,208
1987-88	28,537	248,102	276,638
1988-89	25,799	253,694	279,494
1989-90	31,478	252,136	283,614
1990-91	29,922	232,091	262,014
1991-92	18,606	221,477	240,083
1992-93	18,948	236,677	255,625
1993-94	18,412	243,617	262,029
1994-95	19,517	243,479	262,996
1995-96	16,931	268,951	285,881
1996-97	17,205	279,481	296,686
1997-98	14,208	253,921	268,129
1998-99	13,846	265,152	278,998
1999-00	21,062	278,687	299,749
2000-01	19,971	270,919	290,890
2001-02	35,153	264,328	299,481
2002-03	40,982	237,491	278,472
2003-04	50,758	252,812	303,570
2004-05	35,979	247,187	283,166
2005-06	23,125	259,808	282,932
2006-07	25,904	284,328	310,232
2007-08	30,174	258,167	288,341
2008-09	21,683	250,103	271,785
2009-10	16,329	237,846	254,176
2010-11	10,316	227,657	237,973
2011-12	10,561	237,029	247,590
2012-13	14,344	242,914	257,258
2013-14	22,216	240,552	262,768
2014-15	22,517	208,339	230,856
2015-16	12,740	182,826	195,566
2016-17	12,251	197,243	209,495
2017-18	13,576	209,500	223,076
2018-19	1/ 15,000	195,000	210,000
Most Recent			
7-Year Drought	15,458	216,915	232,373
10-Year Average	15,653	223,401	239,054
45-Year Average	19,461	239,405	258,866

1/ Estimated



961 VILLAGE OAKS DRIVE, SUITE 100  
COVINA, CALIFORNIA 91724  
TEL: (626) 967-6202  
FAX: (626) 331-7065

2171 E Francisco Blvd., Suite K  
San Rafael, California 94901  
2651 W. Guadalupe Rd., Suite A209  
Mesa, Arizona 85202



APPROXIMATE SCALE  
1" = 12,000'

## MAIN SAN GABRIEL BASIN WATERMASTER

## WELL LOCATION MAP



FIGURE 1





FIGURE 2








FIGURE 3


MAIN SAN GABRIEL BASIN WATERMASTER

SAN GABRIEL DAM RAINFALL AND  
BALDWIN PARK KEY WELL ELEVATION



**STETSON ENGINEERS INC.**  
Covina San Rafael Mesa, Arizona  
WATER RESOURCE ENGINEERS

FIGURE 4




**STETSON ENGINEERS INC.**  
Covina San Rafael Mesa, Arizona  
WATER RESOURCE ENGINEERS

**MAIN SAN GABRIEL BASIN WATERMASTER**

**ACCUMULATED RAINFALL AT SAN GABRIEL DAM  
RAINFALL STATION NO. 425B-E**



FIGURE 5




**STETSON ENGINEERS INC.**  
Covina San Rafael Mesa, Arizona  
WATER RESOURCE ENGINEERS

**MAIN SAN GABRIEL BASIN WATERMASTER**

**ACCUMULATED RAINFALL AT PASADENA CITY HALL  
RAINFALL STATION NO. 610B**

FIGURE 6




**STETSON ENGINEERS INC.**  
Covina San Rafael Mesa, Arizona  
WATER RESOURCE ENGINEERS

**MAIN SAN GABRIEL BASIN WATERMASTER**


**ACCUMULATED RAINFALL AT PUDDINGSTONE DAM  
RAINFALL STATION NO. 96-C**

FIGURE 7



## **APPENDIX A**





MAIN SAN GABRIEL BASIN WATERMASTER

HYDROGRAPHS FOR BALDWIN PARK KEY WELL AND OTHER "KEY WELLS"  
BETWEEN MARCH 2002 AND MARCH 2019



**STETSON ENGINEERS INC.**  
West Covina San Rafael Mesa, Arizona  
WATER RESOURCE ENGINEERS

## **APPENDIX B**

## APPENDIX B

### RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet)

Quantities which may be pumped free of Replacement Water Assessment

Pumper	Pumper's Share %	OSY of 130,000	OSY of 140,000	OSY of 150,000	OSY of 160,000
Alhambra, City of	4.45876	5,796.39	6,242.26	6,688.14	7,134.02
Amarillo Mutual	0.35874	466.36	502.24	538.11	573.98
Andrade, Susan	0.00423	5.50	5.92	6.35	6.77
Arcadia, City of	4.23099	5,500.29	5,923.39	6,346.49	6,769.58
Bandel Family Trust	0.00845	10.99	11.83	12.68	13.52
Banks, Gale C.	0.02530	32.89	35.42	37.95	40.48
Brea, City of	0.76035	988.46	1,064.49	1,140.53	1,216.56
Brondino, Jeanne	0.01269	16.50	17.77	19.04	20.30
Cadway, Inc.	0.32545	423.09	455.63	488.18	520.72
Calif. American-San Marino	4.03204	5,241.65	5,644.86	6,048.06	6,451.26
California Domestic	6.23231	8,102.00	8,725.23	9,348.47	9,971.70
Canyon Water Company	0.00051	0.66	0.71	0.77	0.82
Chevron	0.00101	1.31	1.41	1.52	1.62
County Sanitation Dist.18	0.00228	2.96	3.19	3.42	3.65
Covina, City of	0.23979	311.73	335.71	359.69	383.66
Crevolin, A.J.	0.00114	1.48	1.60	1.71	1.82
Dawes, Mary Kay	0.22359	290.67	313.03	335.39	357.74
Del Rio Mutual	0.10069	130.90	140.97	151.04	161.10
East Pasadena Water Co.	0.71227	925.95	997.18	1,068.41	1,139.63
El Monte, City of	1.40888	1,831.54	1,972.43	2,113.32	2,254.21
El Monte Cemetery	0.00936	12.17	13.10	14.04	14.98
Fox Family Trust Michael Edward Fox and Crystal Marie Fox, Trustees	0.07378	95.91	103.29	110.67	118.05
Garnier, Anton and Anita	0.10843	140.96	151.80	162.65	173.49
Golden State Water-S.G.V. Dist.	2.92105	3,797.37	4,089.47	4,381.58	4,673.68
Green, Walter	0.03628	47.16	50.79	54.42	58.05
Hansen, Alice	0.00038	0.49	0.53	0.57	0.61
Hanson Aggregates West, Inc.	1.17094	1,522.22	1,639.32	1,756.41	1,873.50
Heinrich, Carolyn	0.01269	16.50	17.77	19.04	20.30
Hemlock Mutual	0.08399	109.19	117.59	125.99	134.38
Industry, City of	0.55810	725.53	781.34	837.15	892.96
Irwindale, City of	0.19025	247.33	266.35	285.38	304.40
Kirklen, Jeffery	0.07379	95.93	103.31	110.69	118.06
Knight, William J., Living Trust	0.11530	149.89	161.42	172.95	184.48
Landeros, John	0.00038	0.49	0.53	0.57	0.61
La Puente Valley CWD	0.57197	743.56	800.76	857.96	915.15
Loucks, David	0.00152	1.98	2.13	2.28	2.43

## APPENDIX B

### RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet)

Quantities which may be pumped free of Replacement Water Assessment

Pumper	Pumper's Share %	OSY of 130,000	OSY of 140,000	OSY of 150,000	OSY of 160,000
Lovelady, June G.	0.09386	122.02	131.40	140.79	150.18
The Maggiore Family Trust	0.07379	95.93	103.31	110.69	118.06
Martinez, Frances	0.00038	0.49	0.53	0.57	0.61
McIntyre, William	0.01467	19.07	20.54	22.01	23.47
Miller Coors LLC	1.20047	1,560.61	1,680.66	1,800.71	1,920.75
Monterey Park, City of	3.39216	4,409.81	4,749.02	5,088.24	5,427.46
NCL Co, LLC	0.00050	0.65	0.70	0.75	0.80
Nick Tomovich	0.00001	0.01	0.01	0.02	0.02
Nicholson Family Trust	0.01569	20.40	21.97	23.54	25.10
Pellissier Irrevocable QTIP Trust, et al	3.28384	4,268.99	4,597.38	4,925.76	5,254.14
Pico County Water Dist.	0.00038	0.49	0.53	0.57	0.61
Rados, Alexander	0.02176	28.29	30.46	32.64	34.82
Rosemead Development Ltd.	0.00051	0.66	0.71	0.77	0.82
Rurban Homes Mutual	0.11018	143.23	154.25	165.27	176.29
Ruth, Roy	0.00038	0.49	0.53	0.57	0.61
San Gabriel Country Club	0.14476	188.19	202.66	217.14	231.62
San Gabriel County WD	2.73019	3,549.25	3,822.27	4,095.29	4,368.30
San Gabriel Valley WC	10.31388	13,408.04	14,439.43	15,470.82	16,502.21
Sonoco Products	0.15766	204.96	220.72	236.49	252.26
So. Calif. Edison Co.	0.08690	112.97	121.66	130.35	139.04
South Pasadena, City of	1.80520	2,346.76	2,527.28	2,707.80	2,888.32
Southwest Water Company	0.05996	77.95	83.94	89.94	95.94
Sterling Mutual	0.06072	78.94	85.01	91.08	97.15
Suburban Water Systems	12.59998	16,379.97	17,639.97	18,899.97	20,159.97
Sunny Slope Water Co.	1.12770	1,466.01	1,578.78	1,691.55	1,804.32
Tate, Phillip P. & Sieglinde A., et al	0.02926	38.04	40.96	43.89	46.82
Tyler Nursery	0.00162	2.11	2.27	2.43	2.59
United Rock Products	0.23253	302.29	325.54	348.80	372.05
Valencia Heights Water Co.	0.53685	697.91	751.59	805.28	858.96
Valley County Water District	3.01517	3,919.72	4,221.24	4,522.76	4,824.27
Valley View Mutual	0.31169	405.20	436.37	467.54	498.70
Vulcan Materials Company	0.90690	1,178.97	1,269.66	1,360.35	1,451.04
Whittier, City of	4.18519	5,440.75	5,859.27	6,277.79	6,696.30
Wilmott, Erma	0.00038	0.49	0.53	0.57	0.61
Workman Mill Invest. Comp.	0.87839	1,141.91	1,229.75	1,317.59	1,405.42
<b>Total of Pumps</b>	<b>76.46119</b>	<b>99,399.55</b>	<b>107,045.67</b>	<b>114,691.79</b>	<b>122,337.90</b>



## APPENDIX B

### RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet)

Quantities which may be pumped free of Replacement Water Assessment

<u>Pumper</u>	<u>Pumper's Share %</u>	<u>OSY of 130,000</u>	<u>OSY of 140,000</u>	<u>OSY of 150,000</u>	<u>OSY of 160,000</u>
Azusa, City of	0.14988	194.84	209.83	224.82	239.81
Azusa Valley Water Co.	6.76299	8,791.89	9,468.19	10,144.49	10,820.78
Calif. American (Duarte)	1.84634	2,400.24	2,584.88	2,769.51	2,954.14
Covina Irrigating Co.	3.22577	4,193.50	4,516.08	4,838.66	5,161.23
Glendora, City of	4.75261	6,178.39	6,653.65	7,128.92	7,604.18
Golden State Water Co. - San Dimas District	1.73984	2,261.79	2,435.78	2,609.76	2,783.74
Los Angeles, County of	1.88292	2,447.80	2,636.09	2,824.38	3,012.67
Metropolitan Water Dist.	0.08349	108.54	116.89	125.24	133.58
Monrovia, City of	3.09472	4,023.14	4,332.61	4,642.08	4,951.55
Phillips, Alice B., et al	0.00025	0.33	0.35	0.37	0.40
Total of Integrated Producers	23.53881	30,600.45	32,954.33	35,308.21	37,662.10
Total of Pumpers	76.46119	99,399.55	107,045.67	114,691.79	122,337.90
<b>TOTAL</b>	<b>100.00000</b>	<b>130,000.00</b>	<b>140,000.00</b>	<b>150,000.00</b>	<b>160,000.00</b>