# MAIN SAN GABRIEL BASIN WATERMASTER REPORT ON <u>PRELIMINARY</u> DETERMINATION OF OPERATING SAFE YIELD FOR 2020-21 THROUGH 2024-25

**APRIL 1, 2020** 



861 Village Oaks Drive, Suite 100 Covina, California, 91724 Phone (626) 967-6202 Fax (626) 331-7065 www.stetsonengineers.com

SAN RAFAEL, CA

STETSON ENGINEERS INC. COVINA, CA MESA, AZ

**CENTENNIAL, CO** 

# TABLE OF CONTENTS

# Page No.

Introduction	1
Basin Operating Criteria	1
Impacts/Response to (Unprecedented) Recent Drought Conditions and	
Extremely Low Local Runoff	4
Fiscal Years 2011-12 through 2018-19	4
Stormwater Augmentation Program	5
MWD Pre-Delivery Agreement	6
Fiscal Year 2018-19 Basin Conditions	7
Basin Conditions - Groundwater Elevations	7
Baldwin Park Key Well	7
Other "Key Wells"	9
Basin Conditions - Rainfall	9
San Gabriel Dam – Station 425B-E	10
Pasadena City Hall – Station 610B	10
Puddingstone Dam – Station 96C	11
Basin Conditions - Local Water in Surface Storage Reservoirs	11
Basin Conditions - Local and Imported Water Conserved	12
Basin Conditions - Supplemental Water Availability	13
Metropolitan Water District of Southern California	13
Availability of Imported Water	13
San Gabriel District	14
Deliveries of Stormwater Augmentation Water (RDA II)	15
Deliveries of Supplemental Water	16
Replacement Water	16
Fiscal Year 2019-20 Supplemental Water Deliveries	16
Estimated 2020-21 Supplemental Water Delivery Requirements	17

Cyclic Storage Water	18
Basin Conditions - Carry-over Rights	20
Basin Conditions - Estimated Water Production During 2019-20	21
Fiscal Year 2019-20 Operating Safe Yield Determination	22
Conclusions	22

# LIST OF TABLES

Table 1	Annual Operating Safe Yield, Production Rights, Water Production and Replacement Water Requirements
Table 2	Rainfall and Water Replenishment of Main San Gabriel Basin
Table 3	Monthly Cyclic Storage Accounts and Effect on Key Well
Table 4	Local Water in Storage in Surface Reservoirs
Table 5	Supplemental Water Deliveries to the Main San Gabriel Basin for Groundwater Replenishment
Table 6	Historical Water Production
Table 7	Total Historical Demand in Basin

# LIST OF PLATES

Plate 1 Well Location Map

# LIST OF FIGURES

- Figure 1 Baldwin Park Key Well Groundwater Elevation
- Figure 2 Impacts of Stored Water on Baldwin Park Key Well Groundwater Elevation
- Figure 3 San Gabriel Dam Rainfall and Baldwin Park Key Well Elevation

Figure 4 Accumulated Rainfall at San Gabriel Dam Rainfall Station No. 425B-E
Figure 5 Accumulated Rainfall at Pasadena City Hall Rainfall Station No. 610B
Figure 6 Accumulated Rainfall at Puddingstone Dam Rainfall Station No. 96-C
Figure 7 Production in Main San Gabriel Basin

## LIST OF APPENDICIES

- Appendix A Hydrographs for Baldwin Park Key Well and Other "Key Wells"
- Appendix B Range of Operating Safe Yields and Pumper's Shares Thereof

## MAIN SAN GABRIEL BASIN WATERMASTER REPORT ON <u>PRELIMINARY</u> DETERMINATION OF OPERATING SAFE YIELD FOR 2020-21 THROUGH 2024-25

## April 1, 2020

## **INTRODUCTION**

Operating Safe Yield is the quantity of water which the Main San Gabriel Basin Watermaster (Watermaster) determines may be pumped from the Main San Gabriel Basin (Basin) in a fiscal year, free of Replacement Water assessments. In accordance with Section 43 of the amended Main San Gabriel Basin Judgment<sup>1</sup>, Watermaster at its regular meeting in May of each year determines the Operating Safe Yield applicable to the succeeding fiscal year and estimates the Operating Safe Yield for the next succeeding four fiscal years.

A Report on the "Preliminary Determination of Operating Safe Yield" is submitted by its Engineer to Watermaster at its regular meeting in April each year. On acceptance of that Report by Watermaster, a copy is distributed to each Pumper and Integrated Producer at least 10 days prior to a hearing, which is held at the regular meeting of Watermaster in May each year. Objections, comments or suggested modifications to the preliminary Operating Safe Yield are considered by Watermaster at that hearing and Watermaster, through vote of its Board members, adopts the final Operating Safe Yield.

#### **BASIN OPERATING CRITERIA**

Section 42 of the amended Judgment states in part, "... Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria

<sup>&</sup>lt;sup>1</sup> <u>Upper San Gabriel Valley Municipal Water District vs. City of Alhambra, et al.</u> Case No. 924128, Los Angeles County, as amended June 21, 2012.

and, insofar as practicable, to maintain the water level at the Key Well above Elevation two hundred (200)." Replacement Water is defined in Section 10 (cc) of the amended Judgment as "Water purchased by Watermaster to replace: (1) Production in excess of a Pumper's Share of Operating Safe Yield; (2) The consumptive use portion resulting from the exercise of an Overlying Right; and (3) Production in excess of a Diverter's right to Divert for Direct Use". Producers and Responsible Agencies are allowed to deliver Supplemental Water into their respective Cyclic Storage accounts as a pre-delivery of Replacement Water. Furthermore, as a result of significant local drought conditions the Watermaster took unprecedented actions to supplement local water supplies, and, as part of 2012 amendments to the Judgment, Watermaster may make deliveries of Supplemental Water to augment the lack of local water replenishment through the Water Resources Development Assessment (RDA) stormwater augmentation program. The RDA has been recently used by the Watermaster to augment local water supplies. The Operating Safe Yield and delivery of Supplemental Water are the tools specified in the Judgment for management of Basin groundwater levels. The Operating Safe Yield which is established in May of each year, along with the prior year's carryover rights and the Diversion component of Integrated Producers, results in a Replacement Water requirement (net of any withdrawals from Producer Cyclic Storage accounts) that is delivered (at the earliest) in October of the second fiscal year, a span of about 17 months, and possibly not until the following June, a span of 26 months, assuming imported Supplemental Water is available. In the time frame between when the Operating Safe Yield is established and Supplemental Water is actually delivered, the actual hydrologic conditions experienced may have had significant impacts on the Basin groundwater levels. Therefore, it is prudent to conservatively manage the Basin groundwater levels and assure that Replacement Water assessment funds are appropriately collected and available for the purchase of available Supplemental Water to provide for Basin replenishment.

Watermaster evaluates numerous factors when determining the Operating Safe Yield. The most critical factors are the provisions of the Judgment and the current and projected groundwater elevation at the Baldwin Park Key Well (Key Well), which represents the water stored in the Basin. Importantly, Watermaster focuses on the "operational" groundwater elevation at the Key Well (which excludes the impacts of Supplemental Water held in Cyclic Storage accounts). Figure 1 shows the measured groundwater elevation at the Key Well, which includes stored Supplemental Water (Cyclic Storage and the initial Water Resource Development Assessment deliveries historically delivered to Cyclic Storage) and the operational groundwater elevation at the Key Well, which is used to characterize "natural" groundwater elevations for the purposes of establishing an Operating Safe Yield. However, for the purpose of this Report, the measured Key Well elevation is referenced throughout. Watermaster also reviews historical and current hydrologic conditions within the Basin, such as rainfall, storage of local runoff in surface reservoirs and conservation of local runoff; the availability of Supplemental Water; the quantity of water in Cyclic Storage; Carry-over Rights; and other information. Presented in Table 1 is the historical record of the annual Operating Safe Yield, Carry-over Rights, Lost Carry-over Rights, Production Rights, Water Production, and Replacement Water Requirement for each year of Watermaster operations beginning with fiscal year 1973-74.

During fiscal year 2015-16, the Watermaster developed a "Stormwater Augmentation Program," whereby Watermaster will use its Water Resource Development Assessment to purchase available untreated imported water to supplement the shortage of local stormwater replenishment (discussed in detail in the following section). Consequently, once the Stormwater Augmentation Program water is delivered to the Basin, and paid for, it is considered to be a supplement to "local water and available to all Basin pumpers," but not Supplemental Water. As a result of just the RDA programs (includes all RDA water deliveries, including RDA water not yet paid for), Watermaster and the Producers have added over 175,000 acre-feet of replenishment water and increased the elevation of the Baldwin Park Key Well by about 22 feet, as shown in Figure 2. Other Watermaster and Producer actions have also contributed to maintaining the Basin water supply reliability.

# IMPACTS/RESPONSE TO (UNPRECEDENTED) RECENT DROUGHT CONDITIONS AND EXTREMELY LOW LOCAL RUNOFF

#### Fiscal Years 2011-12 through 2018-19

Rainfall in the San Gabriel Valley has averaged about 12.02 inches between fiscal years 2011-12 and 2018-19 (about 8 years) which is significantly below the long-term annual average of about 18 inches for the entire San Gabriel Valley, as shown in Table 1. Furthermore, between fiscal years 2011-12 and 2018-19 the average annual stormwater replenishment has averaged about 50,000 acre-feet, as shown in Table 2, whereas the long-term stormwater replenishment in the San Gabriel Valley through the end of fiscal year 2010-11 averaged about 110,000 acre-feet per year. Consequently, over those 8 years the average annual deficit of stormwater replenishment has been about 60,000 acre-feet per year which represents a Basin deficit of about 480,000 acre-feet, representing about 60 feet at the Key Well.

Prior to the recent drought, rainfall had averaged 19.23 inches, as measured at Puddingstone Dam, and the groundwater elevation of the Key Well was 233.5 feet as of June 24, 2011, as shown on Table 1 and Figure 2. As a result of the recent drought, the groundwater elevation at the Key Well decreased to a new historic low of 169.4 feet on November 21, 2018. This represents a loss of over 510,000 acre-feet. During this extended drought period, since November 21, 2018 the measured groundwater level has increased to about 185 feet, as of March 22, 2019, which was partially the result of the delivery of about 55,000 acre-feet of imported water during the Fall of 2018. Also during this extended drought period, without Supplemental Water held in Cyclic Storage accounts, the groundwater elevation at Key Well would have been at 164 feet as of March 22, 2019. Without Cyclic Storage and the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse.

Production in the San Gabriel Valley has averaged about 213,000 acre-feet per year over the last eight years (2011-12, 2012-13, 2013-14, 2014-15, 2015-16, 2016-17, 2017-18 and 2018-19) during the extended drought period, as shown on Table 1. During this extended drought period, Producers have implemented water conservation measures in an effort to reduce groundwater production to help address drought conditions.

During this recent drought, the Watermaster has become more pro-active by implementing provisions of the Judgment, and developing and instituting new studies, programs and plans to address the drought conditions as they progressively worsened. The 2012 Judgment Amendments provided Watermaster with increased management flexibility and adaptability; and broad discretion in the making of Basin management decisions. Without the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse. The following are Watermaster and Producer Actions (which are discussed in detail in the Watermaster Annual Report): RDA, Storm Water Capture, Cyclic Storage, Conservation, Recycled Water for Replenishment, Basinwide Low Water Vulnerability Assessment, In-Lieu Program, Assist Drought Impacted Purveyors, Stormwater Augmentation Program (discussed below) and MWD Water Supply Agreement (discussed below).

#### Stormwater Augmentation Program

During fiscal year 2015-16, the Watermaster evaluated new ways to help manage the Basin water supplies. At that time, the Watermaster determined that between fiscal years 2011-12 and 2015-16, the Basin did not receive nearly 400,000 acre-feet of local water replenishment compared to long-term average conditions. The Watermaster developed a conceptual "Stormwater Augmentation Program," whereby the RDA would be repurposed to purchase available untreated imported water to supplement the significant shortage of local stormwater replenishment (RDA II). Figure 2 shows the operational Key Well elevation would have been about 22 feet

lower (about 186 feet) if the Stormwater Augmentation Program water was not implemented (includes all RDA water deliveries, including RDA water not yet paid for).

#### **MWD Pre-Delivery Agreement**

During calendar year 2017, rainfall within the State Water Project (SWP) drainage area was about 200 percent of average, resulting in a SWP allocation of 85 percent (although rainfall in the San Gabriel Valley was only about average). Consequently, Metropolitan Water District of Southern California (MWD), Upper San Gabriel Valley Municipal Water District (Upper District), and the Watermaster entered into an Agreement (MWD Agreement) whereby MWD will deliver untreated imported water to the Main Basin initially for Cyclic Storage, and then applied to the stormwater augmentation. MWD proposed delivering 80,000 acre-feet of untreated imported water to replenish the Main Basin during calendar year 2017. Subsequently, the Watermaster and Upper District would purchase one-fifth of the delivery in each of the next five years, i.e. 16,000 acre-feet in December 2017, 16,000 acre-feet in December 2018, 16,000 acre-feet in December 2019, 16,000 acre-feet in December 2020, and 16,000 acre-feet in December 2021. Much of the purchased water would be applied to the Stormwater Augmentation Program.

MWD was unable to deliver the full 80,000 acre-feet during fiscal year 2017-18 but instead delivered 58,517.5 acre-feet during fiscal year 2017-18 (which includes 5,000 acre-feet transferred from San Gabriel Valley Municipal Water District (San Gabriel District to MWD). Watermaster/Upper District made payment on 16,000 acre-feet in December 2017. The next scheduled payment on 16,000 acre-feet in 2018 was deferred by one year so additional "wet" water could be delivered in 2018. As of June 30, 2018, MWD had 42,517.20 acre-feet in its Cyclic Storage account. Consequently, the remaining Pre-Delivery Agreement payments were adjusted to 16,000 acre-feet in December 2021. In 2019, an extension to the Pre-Delivery Agreement was developed. Under the extension, MWD delivered about 97,000 acre-

feet to its Cyclic Storage account during calendar year 2019. Total RDA deliveries to the Basin is now about 175,000 acre-feet.

#### Fiscal Year 2018-19 Basin Conditions

After the unprecedented drought period, rainfall in the San Gabriel Valley during fiscal year 2018-19 was 23.59 inches, which was 130 percent of average, and stormwater replenishment was about 173,500 acre-feet, which was 172 percent of long-term average. However, as previously discussed, even with above average rainfall in fiscal year 2018-19, the annual average rainfall since fiscal year 2011-12 (about 8 years) was about 12.02 inches, which is still significantly below the long-term annual average of about 18 inches for the entire San Gabriel Valley. Furthermore, since fiscal year 2011-12, the average annual stormwater replenishment has averaged about 50,000 acre-feet, which is still significantly below the annual average stormwater replenishment of about 110,000 acre-feet.

#### **BASIN CONDITIONS - GROUNDWATER ELEVATIONS**

Exhibit H, Section 2 of the amended Judgment states in part "Watermaster in determining Operating Safe Yield and the importation of Replacement Water shall be guided by water level elevations in the Basin." The following describes the groundwater elevation at the Baldwin Park Key Well.

#### Baldwin Park Key Well

The Key Well is located in the central portion of the Basin, as shown in Plate 1. It has been successfully used to generally represent basin-wide groundwater elevation trends. A one-foot groundwater elevation change at the Key Well is estimated to represent approximately 8,000 acre-feet of water in storage, under normal conditions (Basin operating conditions). Figure 3 is a hydrograph showing the groundwater elevation at the Key Well and annual rainfall at San Gabriel Dam since October 1,

1937. The highest groundwater elevation at the Key Well, since entry of the Judgment, occurred on July 20, 1983 at 295.3 feet at which time 9,900 acre-feet (about one foot) were in Cyclic Storage. The historical low groundwater elevation at the Key Well, since entry of the Judgment, occurred on November 21, 2018 at 169.4 feet at which time 161,000 acre-feet (about 20 feet) were in Cyclic Storage. Without Cyclic Storage, the groundwater elevation at the Key Well would have been about 150 feet on November 21, 2018. On March 27, 2020, the groundwater elevation at the Key Well was 207.7 feet, at which time about 238,800 acre-feet (about 30 feet) were in Cyclic Storage (about 130,800 acre-feet in Cyclic Storage accounts and about 108,000 acre-feet in the MWD Cyclic Storage account unpaid for RDA II water). Without Cyclic Storage, the Key Well elevation would have been about 178 feet on March 27, 2020, as shown on Figure 1. In addition, without all the RDA water programs, the Key Well elevation would have been about 170 feet on March 27, 2020, as shown on Figure 2.

As previously discussed, local runoff conserved in the San Gabriel Basin has been significantly below the long-term annual average during the extended drought period (2011-12, 2012-13, 2013-14, 2014-15, 2015-16, 2016-17 and 2017-18), and for the last 13 years. As a result, the measured groundwater elevation at the Key Well decreased from 233.5 feet on June 24, 2011 to a historical low of 169.4 feet on November 21, 2018, a decrease of 64 feet. This is a loss of about 510,000 acre-feet of water from Basin storage. Since the historical low on November 2018, the Key Well has since increased to a high of 212.5 feet in December 2019, partially due to significant replenishment of imported water. As specified in Section 42 of the amended Judgment, the Watermaster, to the extent practical, shall manage the Basin to maintain the groundwater elevation at the Key Well above 200 feet.

Thus far during fiscal year 2019-2020, rainfall at Puddingstone Dam has been about 11.37 inches (the long-term annual average is about 18 inches) which is about 71 percent of average for this time of year, as of March 27, 2020. The Key Well elevation decreased from 212.5 feet in December 2019 to about 207.7 feet on March

27, 2020. Typically, during the Summer and early Fall, the measured groundwater elevation at the Key Well decreases by about 10 feet. Consequently, it is possible the measured groundwater elevation at the Key Well could be about 197.7 feet by October 2020, which is below the minimum Operating Criteria of 200 feet.

#### Other "Key Wells"

While the groundwater elevation at the Baldwin Park Key Well has increased by about 11 feet from 196.4 feet on July 5, 2019 to 207.7 feet on March 27, 2020, the change in groundwater elevations in other parts of the Basin has been less significant. A well location map showing other "Key Wells" is included as Plate 1 and hydrographs of groundwater elevations at four other wells located throughout the Basin (compared to the measured Baldwin Park Key Well groundwater elevation) are included in Appendix A. San Gabriel County Water District Well 10 is located westerly of the Baldwin Park Key Well, County of Los Angeles Well No. 2947F is located southerly of the Baldwin Park Key Well in the vicinity of Whittier Narrows, Suburban Water Systems Well 155W-2 is located in the vicinity of the Puente Narrows and Valencia Heights Water Company Well No. 5 is located southeasterly of the Baldwin Park Key Well. In general, groundwater elevations at each of the four monitoring wells in the Basin react (both upward and downward) in a comparable but less dramatic manner as the Baldwin Park Key Well. As shown on the hydrographs in Appendix A, the groundwater elevations at these wells generally do not increase as high as the Baldwin Park Key Well during wet periods (with significant groundwater replenishment), but also do not have as significant of a decrease during dry periods with less groundwater replenishment. Significant changes in the water level for the other "Key Wells" are not expected in the near future.

#### **BASIN CONDITIONS - RAINFALL**

Rainfall in the San Gabriel River watershed provides direct percolation and results in local stormwater runoff which is subsequently percolated in spreading

facilities and contributes to Basin replenishment. Precipitation amounts vary throughout the San Gabriel River watershed and typically are highest in the foothills and mountains. Precipitation recorded at San Gabriel Dam, the City of Pasadena and Puddingstone Dam, are described below. The locations of these rainfall stations are shown on Plate 1.

#### San Gabriel Dam - Station 425B-E

Rainfall at San Gabriel Dam, which is located in the upper watershed and not on the valley floor, was about 12.43 inches for the period July 1, 2019 through February 29, 2020, or <u>about 58 percent of average for that period</u>. Rainfall for the period of July 1, 2019 through March 31, 2020, is estimated to be about 18 inches, or about 67 percent of average. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 71 percent of average. Figure 4 shows the cumulative rainfall for 1) fiscal years 2013-14, 2014-15, 2015-16, 2016-17, 2017-18, 2018-19; 2) the period July 2019 through March 2020; and 3) the long-term average rainfall at San Gabriel Dam.

## Pasadena City Hall - Station 610B

Rainfall at the Pasadena City Hall was 10.15 inches for the period July 1, 2019 through February 29, 2020, or <u>about 69 percent of average</u> for that period. Rainfall for the period of July 1, 2019 through March 31, 2020, is estimated to be about 13 inches, or about 74 percent of average. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 77 percent of average. Figure 5 shows the cumulative rainfall for 1) fiscal years 2013-14, 2014-15, 2015-16, 2016-17, 2017-18, 2018-19; 2) the period July 2019 through February 2020; and 3) the long-term average rainfall at the Pasadena City Hall.

#### Puddingstone Dam - Station 96C

Rainfall at Puddingstone Dam was 8.26 inches for the period July 1, 2019 through February 29, 2020, or <u>about 63 percent of average</u> for that period. Rainfall for the period of July 1, 2018 through March 31, 2019, is estimated to be about 11 inches, or about 71 percent of average. Assuming average rainfall for the balance of the year, the annual rainfall is projected to be about 79 percent of average. Figure 6 shows the cumulative rainfall for 1) fiscal years 2013-14, 2014-15, 2015-16, 2016-17, 2017-18, 2018-19; 2) the period July 2019 through March 2020; and 3) the long-term average rainfall at Puddingstone Dam.

Precipitation in the San Gabriel River watershed during fiscal year 2019-20, through the end of February 2020 was about 62 percent and through the end of March 2020 was estimated to be about 71 percent of average.

#### **BASIN CONDITIONS - LOCAL WATER IN SURFACE STORAGE RESERVOIRS**

Local runoff water in surface reservoirs located on streams tributary to the Basin is stored by the DPW. This local runoff water is later released to the San Gabriel River system either for direct delivery to users or for replenishment of the groundwater Basin.

Table 4 shows the maximum reservoir storage capacity and the quantities of water in storage in surface reservoirs tributary to the San Gabriel Valley on March 18, 2019 and March 3, 2020. Also shown are the current recorded inflow and outflow rates at the reservoirs on March 3, 2020. The total amount of local water stored in surface reservoirs in the San Gabriel Valley as of March 3, 2020, was about 44,300 acre-feet (about 46 percent of capacity), which is a decrease of about 29,600 acre-feet in storage compared to March 18, 2019 (73,900 – 44,300). DPW indicates it maintains a minimum pool in Cogswell, San Gabriel and Morris Reservoirs representing about 10,500 acre-feet. In addition, water in Puddingstone Reservoir

(about 6,600 acre-feet) is maintained for recreational purposes. Consequently, of the 44,300acre-feet in storage, about 27,200 acre-feet (44,300 – 10,500 – 6,600) are available for direct use or groundwater replenishment.

#### BASIN CONDITIONS - LOCAL AND IMPORTED WATER CONSERVED

The amount of local water conserved, which is typically the primary component of Basin replenishment, is dependent upon the amount of precipitation on the tributary watershed, resulting runoff, and the subsequent water replenishment activities of DPW. Historically, when the Basin experiences average to above-average precipitation, it results in a larger amount of local water available to replenish the Basin and the groundwater elevation increases. Examples of this relationship are shown on Figure 3 (see 1977-78, 1982-83, and 2004-05). The occurrence and duration of annual rainfall is also an important factor. For example, a large amount of rainfall over a short period of time may result in limited replenishment to the Basin due to surface flows exceeding water replenishment capabilities and even result in flow of local runoff to the ocean. Also, rainfall that follows severe dry periods will often result in lower runoff amounts due to dry soil absorbing effects in the watershed.

Rainfall in the Basin watershed during fiscal year 2019-20 has been about 71 percent of average through March 31, 2020. Although DPW replenishment records are incomplete this time of year, preliminary data indicate approximately 11,250 acrefeet (about 11 percent of average) of local runoff was replenished in the Basin between October 1, 2019 and January 31, 2020. In addition, about 21,500 acrefeet of RDA II water, as part of the Stormwater Augmentation Program, was replenished to supplement "local water" and included under "Local Runoff" in Table 2. Consequently, the total Local Runoff plus RDA II is 32,760 (11,250 + 21,510) acrefeet (32 percent of average). The average annual local water Basin replenishment has averaged about 110,000 acrefeet prior to the recent drought. The Stormwater Augmentation Program and helped keep the Key Well elevation stable and not drop further, thus achieving its goal and purpose. In addition to local runoff, about 23,490 acrefeet of untreated imported

water (Supplemental Water for Cyclic Storage) was replenished in the Basin for a total Basin replenishment of about 56,250 (32,760 + 23,490) acre-feet.

Table 2 summarizes the annual rainfall, local water plus RDA II water and imported water replenished for Cyclic Storage, and measured and operational groundwater elevations at the Key Well since the inception of Watermaster operations.

## BASIN CONDITIONS - SUPPLEMENTAL WATER AVAILABILITY

Section 10 of the amended Judgment defines Supplemental Water as "Nontributary water imported through a Responsible Agency." Upper District, Three Valleys Municipal Water District (Three Valleys District) and San Gabriel Valley Municipal Water District (San Gabriel District) are the Responsible Agencies which deliver Supplemental Water to the Basin. Upper District and Three Valleys District are member agencies of MWD. The San Gabriel District is a SWP contractor. The following describes the availability of Supplemental Water from MWD and San Gabriel District.

#### Metropolitan Water District of Southern California

MWD primarily receives its water supply from the State Water Project and the Colorado River. Below is a description of the availability of water from MWD.

#### Availability of Imported Water

An "8-station index" is used by the California Department of Water Resources (DWR) to determine average precipitation in the Sacramento River hydrologic region of northern California, which is the source of much of the imported water supply to the Basin. Through February 29, 2020, the "8-station index" indicated average precipitation of 16.05 inches or about 46 percent of average for that time of year, while

rainfall in the San Gabriel Valley was about 58 percent of average (through February 29, 2020).

On December 2, 2019, DWR announced the 2020 <u>initial</u> allocation of SWP water was 10 percent of the contractors' Table A entitlement. On January 24, 2020, the SWP allocation was increased to 15 percent of the SWP entitlement. As stated in DWR's Notice to State Water Project Contractors, the increase in allocation is based on "the recent precipitation, runoff, and current water supply conditions..." In general, every five percent of SWP allocation equates to about 100,000 acre-feet of supply for MWD. With a 15 percent SWP allocation, MWD would receive about 635,000 acre-feet.

Based on the Colorado River Compact, the seven basin states receive allocations to Colorado River water. Based on California's allocation of Colorado River water, MWD staff has indicated about 988,000 acre-feet of Colorado River water are available to MWD during calendar year 2020. Although Colorado River water may be delivered as Supplemental Water to help replenish the Basin, there are issues which must be addressed prior to delivery. Quagga mussels are in Colorado River water and have the potential to negatively impact the replenishment facilities unless the Colorado River water is isolated and the replenishment facilities are allowed to dry out, which effectively eliminates the Quagga mussels. A second concern is the high Total Dissolved Solids (TDS) concentration in Colorado River water, which would need to be addressed through Watermaster's "Criteria for Delivery of Supplemental Water". There are currently no planned deliveries of Colorado River water for Basin replenishment.

#### San Gabriel District

San Gabriel District has a contract for State Water Project water (see description of State Water Project availability under MWD). San Gabriel District's current 2020 allocation is 15 percent of its State Water Project Table A entitlement of

28,800 acre-feet. Consequently, it is anticipated San Gabriel District will deliver about 4,320 acre-feet to the Basin during calendar year 2020.

#### **Deliveries of Stormwater Augmentation Program Water (RDA II)**

Section 45(b)(7) of the amended Judgment allows Watermaster to "...levy an Assessment on all Pumping, as determined through Rules and Regulations ... to support the purchase, financing, and/or development of new or additional Supplemental Water sources, in cooperation with one or more Responsible Agencies as appropriate." Section 45(b)(7) established the RDA for the purchase or development of additional Supplemental Water supplies.

As previously discussed, the "Stormwater Augmentation Program," purchases available untreated imported water to supplement the shortage of local stormwater replenishment. The RDA II assessment is on all production and the purchased water is added to the natural Basin water supply, with no specific rights to recover the water. Production during fiscal year 2016-17 was the first year RDA II assessment was applied. At \$40/AF, about 11,400 acre-feet was purchased at the end of calendar year 2017. Production during fiscal year 2017-18 was the second year RDA II assessment was applied. At \$70, about 19,000 acre-feet was purchased at the end of calendar year 2018. For the third year, at \$105, about 21,510 acre-feet was purchased at the end of calendar year 2019. The RDA II assessment is intended to increase to \$175/AF within the next two years. Over the ensuing two years it is projected Upper District's RDA II obligation will be about 25,600 acre-feet to be delivered by the end of calendar year 2020 and about 30,300 acre-feet to be delivered by the end of calendar year 2021. The MWD Pre-delivery Agreement obligates Upper District/Watermaster to purchase an agreed amount of pre-delivered water every year for the next four years. Consequently, with a current SWP allocation of 15 percent and projected RDA II revenue to purchase additional untreated imported water, there is an opportunity to extend both the duration and the quantity of untreated imported water delivered and stored in the Main Basin pursuant to the MWD Pre-delivery Agreement.

#### **Deliveries of Supplemental Water**

In addition to Basin replenishment from local water supply, the groundwater elevation at the Key Well is impacted by the amount of Supplemental Water delivered as Replacement Water, RDA Water and for Cyclic Storage accounts. A summary of historical Supplemental Water deliveries is shown on Table 5. The following sections describe Supplemental Water deliveries, as 1) Replacement Water for Upper District, San Gabriel District and Three Valleys District; 2) MWD Agreement water; 3) Producer and other Cyclic Storage accounts and 4) Future Deliveries.

#### **Replacement Water**

Section 42 of the amended Judgment states in part, "... Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria and, insofar as practicable, to maintain the water level at the Key Well above Elevation two hundred (200)." (As of March 27, 2020, the groundwater elevation at the Key Well was 207.7 feet.) Typically, establishing a lower Operating Safe Yield results in reduced water rights, increased Replacement Water obligations and, consequently, increased deliveries and replenishment of imported water as Replacement Water. However, thus far, there is a lot of Cyclic Storage water in accounts, which can be deducted to meet Replacement Water obligations instead of delivering water to the Basin. Thus, lowering the Operating Safe Yield would have little or no impacts on the Basin water levels and groundwater supply management in the near term, but would help accelerate the withdrawal of water from Cyclic Storage and increase the opportunity to deliver Replacement Water in the future.

# Fiscal Year 2019-20 Supplemental Water Deliveries (Replacement Water) Plus Stormwater Augmentation Program Water

The following discusses Upper District, San Gabriel District and Three Valleys District deliveries during fiscal year 2019-20.

Following the conclusion of fiscal year 2018-19, it was determined Upper District had no Replacement Water requirement to be delivered during 2019-20 through USG-3 (due to Producer Cyclic Storage water) and 3,000 acre-feet will be delivered through USG-5. In addition, Upper District had a RDA II requirement of about 20,056 acre-feet to be delivered during 2019-20. As of January 31, 2020, a total of 1,791.70 acre-feet was delivered through USG-5 leaving a Replacement Water balance of 1,208.30 acre-feet. As of January 31, 2020, the RDA II requirement of 20,056 acre-feet had been delivered.

Following the conclusion of fiscal year 2018-19, it was determined San Gabriel District had a Replacement Water requirement of 12,182.68 acre-feet to be delivered during 2019-20. As of January 31, 2020, San Gabriel District delivered the Replacement Water requirement of 12,182.68 acre-feet. In addition, San Gabriel District had a RDA II requirement of about 3,240 acre-feet to be delivered during 2019-20. As of January 31, 2020, the RDA requirement had not been delivered. With a SWP 2020 Allocation of 15 percent, San Gabriel District may not be able to deliver its RDA requirement.

Following the conclusion of fiscal year 2018-2019, it was determined Three Valleys District had no Replacement Water requirement to be delivered during 2019-20. Three Valleys District had a RDA II requirement of 1,455 acre-feet to be delivered during 2019-20. As of January 31, 2020, the full RDA requirement of 1,455 acre-feet had been delivered.

# Estimated 2020-21 Supplemental Water Delivery Requirements (Replacement Water) Plus Stormwater Augmentation Program Water

The estimated fiscal year 2019-20 over-production in the Basin is about 43,400 acre-feet. It is assumed much of the over-production will be satisfied by a deduction from water in Producers' Cyclic Storage accounts.

It is estimated Upper District Producers' over-production will be about 25,000 acre-feet. After deductions from Producer's Cyclic Storage accounts, it is anticipated there will be no Replacement Water requirement to be delivered through USG-3, 22,000 acre-feet pre-delivery of Replacement Water into Producers' Cyclic Storage accounts and about 3,000 acre-feet of Replacement Water to be delivered through USG-5 in 2020-21. In addition, Upper District has an estimated RDA II requirement of 29,100 acre-feet to be delivered during 2020-21 for a total estimated Supplemental Water delivery requirement of 54,100 acre-feet (0 + 22,000+ 3,000 + 29,100) during 2020-21.

It is estimated San Gabriel District Producers will have over-production of about 10,200 acre-feet and consequently a Replacement Water requirement of 10,200 acre-feet to be delivered in fiscal year 2020-21. In addition, San Gabriel District has an undelivered balance of 3,240 acre-feet of RDA II from 2019-20, an estimated RDA II requirement of 4,700 acre-feet to be delivered during 2020-21, for a total estimated Supplemental Water delivery requirement of 18,240 acre-feet (10,200 + 3,340 + 4,700) during 2020-21. As previously discussed, San Gabriel District has an annual obligation of 5,000 acre-feet to MWD. Therefore, the total delivery requirement for San Gabriel District during 2020-21 is approximately 23,240 acre-feet (18,240 + 5,000).

It is estimated Three Valleys District producers will have over-production of about 2,700 acre-feet and consequently (after use of Cyclic Storage) a Replacement Water requirement of 1,300 acre-feet to be delivered in fiscal year 2020-21. Three Valleys District has an estimated RDA II requirement of 1,900 acre-feet to be delivered during 2020-21. The total delivery requirement for Three Valleys District during 2020-21 is approximately 4,600 acre-feet (2,700 + 1,900).

#### **Cyclic Storage Water**

Cyclic Storage water is a pre-delivery of Replacement Water. Under the terms of Cyclic Storage agreements, the Individual Producers may make deliveries to

Watermaster out of their Cyclic Storage accounts to satisfy Replacement Water requirements which are accounted for following June 30 of each year. The Responsible Agencies may make deliveries to Watermaster out of their Cyclic Storage accounts to satisfy Replacement Water requirements as of June 30 of each year.

There are Cyclic Storage agreements between Watermaster and each of the Responsible Agencies which provide for the total storage of up to 190,000 acre-feet of Supplemental (Replacement) Water in the Basin. This includes up to 50,000 acre-feet for San Gabriel District, up to 100,000 acre-feet for the MWD and Upper District, and up to 40,000 acre-feet for MWD and Three Valleys District. In addition, there are 21 producer Cyclic Storage agreements in which up to 142,000 acre-feet can be stored. The total amount of water that could be stored in existing Cyclic Storage accounts is up to 332,000 acre-feet. As of January 31, 2020 there was a total of about 238,800 acre-feet (about 130,800 acre-feet in cyclic storage accounts and about 108,000 acre-feet in MWD Pre-Delivery account) in Basin cyclic storage (represents about 30 feet at the Key Well).

Water in Cyclic Storage is available to supply Replacement Water by transfer to Watermaster in-lieu of physically delivering Supplemental Water. This is typically done at the discretion of the storing party. Table 3 is a summary of the monthly Cyclic Storage account balances since July 1, 2012. The storage balance in all of the Basin Cyclic Storage accounts on July 1, 2019, the balance as of January 31, 2020 and the estimated balance as of June 30, 2020, is shown below in acre-feet.

	Cyclic	Account Balance	Estimated
	Storage as of	as of January 31,	Balance as of
	July 1, 2019	2020	June 30, 2020 <sup>1/</sup>
San Gabriel Valley Municipal Water	12,018	11,607	12,000
District			
Upper San Gabriel Valley Municipal	11,572	8,013	8,000
Water District			
Three Valleys Municipal Water	13,163	24,011	24,000
District			
Producers in San Gabriel District	2,971	2,971	3,000
Producers in Upper District	42,018	50,218	51,000
Producers in Three Valleys District	2,309	2,309	3,000
Watermaster Pre-purchases	0	0	0
RDA I	12,756	12,756	13,000
Puente Basin Agency Storage and	10,677	10,677	11,000
Export			
MWD Cyclic Agreement (intended	<u>68,388</u>	<u>108,084</u>	<u>108,000</u>
for RDA II)			
	175,872	230,646	233,000

1/ It is assumed Replacement Water requirements will be deducted from Cyclic Storage accounts following the end of fiscal year 2019-20. It is assumed 2020 SWP water allocation is 15 percent.

#### **BASIN CONDITIONS - CARRY-OVER RIGHTS**

In accordance with the Judgment Section 49, "...Any Pumper's Share of the Operating Safe Yield and the Production Right of any Integrated Producer, which is not produced in a given fiscal year, may be carried over and accumulated for one fiscal year..." Establishing high operating safe yields will normally result in increased Carry-over Rights. These Carry-over Rights must be used by the Producer in the next year or can be leased to another Producer for use in that year. The first water produced in the succeeding fiscal year is deemed to be the Carry-over water. Leasing of water rights, including Carry-over Rights, also usually results in a reduction of the amount of water subject to Replacement Water assessments and, thus a decrease in delivery of Replacement Water to the Basin.

The amount of Carry-over Rights is considered when recommending the Operating Safe Yield. The Carry-over Rights at the beginning of fiscal year 2018-19 were approximately 28,800 acre-feet and increased to 34,600 acre-feet at the beginning of fiscal year 2019-20. It is estimated the Carry-over Rights at the beginning of fiscal year 2020-21 will be about 37,750 acre-feet. Historical Carry-over Rights and lost Carry-over Rights are shown on Table 1.

#### **BASIN CONDITIONS - ESTIMATED WATER PRODUCTION DURING 2019-20**

Historical water production under the Judgment since July 1, 1973, has been reported and recorded on a quarterly basis, as shown in Table 6. The preliminary total water production for the first two quarters of fiscal year 2019-20 was about 102,300 acre-feet. Figure 7 shows quarterly production in the Basin for the past 11 years (fiscal years 2008-09 through 2018-19) plus fiscal year 2019-20. Anticipated groundwater production for fiscal year 2019-20 has been estimated below.

The reported production for the first two quarters of fiscal year 2019-20 was about 102,300 acre-feet. This is similar to the first two quarters of fiscal year 2018-19 (102,700 acre-feet). Assuming production for the last two quarters of fiscal year 2019-20 is similar to the production for the last two quarters of fiscal year 2018-19, which was about 80,400 acre-feet, total fiscal year 2019-20 production will be about 182,000 acre-feet (102,000 + 80,000). Based on this information, it is anticipated groundwater production during fiscal year 2019-20 will be about 185,000 acre-feet. Direct treated water deliveries have remained about the same, as described below. In addition, drought conservation activities have continued, which also have impacted production. Figure 7 shows production for the past 11 years and the estimated groundwater production for fiscal year 2019-20.

The historical total demand in the Basin is met by local water production and direct treated imported water deliveries. During fiscal year 2018-19, direct treated imported water sales were about 25,000 acre-feet, as shown in Table 7. Estimated

direct treated imported water sales for fiscal year 2019-20 is about 15,000 acre-feet. Total demand during fiscal year 2019-20 is estimated to be about 200,000 acre-feet (185,000 + 15,000) and is about 32,000 acre-feet below the 7-year average total water demand of 232,000 acre-feet, as shown in Table 7.

#### FISCAL YEAR 2019-20 OPERATING SAFE YIELD DETERMINATION

On May 1, 2019, Watermaster considered the Engineer's recommended Preliminary Operating Safe Yield of 150,000 acre-feet for fiscal year 2019-20. At that time, the total rainfall in the Basin from July 1, 2018 to April 30, 2019, as represented by the Puddingstone Dam station, was 22.07 inches or 126 percent of long-term average for that period. (The total annual rainfall at the Puddingstone Dam station for fiscal year 2018-2019 was 23.59 inches, representing about 130 percent of average.) The groundwater elevation at the Key Well at the time of the May 2019 Watermaster meeting was 196.0 feet and increasing at the rate of about 1.5 feet per week. Total water in local storage reservoirs was 75,000 acre-feet of which about 57,900 acre-feet were available for groundwater storage and/or for delivery for direct use.

At its May 1, 2019 meeting, Watermaster established the Operating Safe Yield at 150,000 acre-feet for fiscal year 2019-20 and an estimated Operating Safe Yield of 130,000 acre-feet for fiscal years 2020-21, 2021-22, 2022-23, and 2023-24.

#### <u>CONCLUSIONS</u>

It is very important to recognize that "local" water resources and supplies have been seriously impacted by unprecedented drought conditions. These local drought conditions include both <u>rainfall</u> and <u>runoff</u>, which normally provides a significant quantity of useable water supply for the San Gabriel Basin.

Prior to the current drought, the historical long-term annual average Basin replenishment from "local" water supplies is about 110,000 acre-feet. Since about

fiscal year 2011-12, the average annual "local" water Basin replenishment has been reduced to about less than half, or about 50,000 acre-feet per year. This represents a <u>shortage</u> of about <u>500,000 acre-feet of water supply to the Basin</u>. <u>This is a serious,</u> <u>and continuing deficit to Basin water supplies</u>.

Local Water Replenishment	
1973-74 through 2010-11	about 110,000 AFY
1973-74 through 2018-19	about 101,000 AFY
2011-12 through 2018-19 (8 yrs)	about 50,000 AFY
Local Rainfall	
1973-74 through 2010-11	about 19.23 inches/yr
1973-74 through 2018-19	about 17.98 inches/yr
2011-12 through 2018-19 (8 yrs)	about 12.02 inches/yr
<u>Baldwin Park Key Well</u>	

Historic Low Elevation (November 21, 2018)	169.4 feet
Current Elevation without RDA Replenishment	185.9 feet
(includes Cyclic Storage for Replacement Water)	
Current Elevation – Measured	207.7 feet

During this unprecedented drought, the Watermaster has taken significant steps by implementing provisions of the Judgment, and developing and instituting new studies, programs and plans to address the drought conditions as they progressively worsened. The 2012 Judgment Amendments provided Watermaster with increased management flexibility and adaptability; and broad discretion in making Basin management decisions. Without the actions of the Watermaster and the Producers, Basin water supply conditions would have been much worse. The following are Watermaster and Producer Actions: RDA, Storm Water Capture, Cyclic Storage, Conservation, Recycled Water for Replenishment, Basinwide Low Water Vulnerability

Assessment, In-Lieu Program, Assist Drought Impacted Purveyors, Stormwater Augmentation Program and MWD Replenishment Water Supply Agreement.

As a result of just the RDA programs (includes all RDA water deliveries, including RDA water not yet paid for), Watermaster and the Producers have added over 175,000 acre-feet of replenishment water and increased the elevation of the Baldwin Park Key Well by about 22 feet. Other Watermaster and Producer actions have also contributed to maintaining the Basin water supply reliability.

As stated earlier in the Report, Section 42 of the amended Judgment states in part, "...Watermaster shall recharge Replacement Water in accordance with the Watermaster Operating Criteria and, in so far as practicable, to maintain the water level at the Key Well above Elevation two-hundred (200)". The Judgment criteria essentially establishes the Operating Safe Yield and delivery of Replacement Water as the primary Watermaster tool to manage groundwater supplies for the Basin. This management goal became not "practicable", as a result unprecedented local drought conditions, and resulted in the RDA II – Stormwater Augmentation Program. The Stormwater Augmentation Program has resulted in the important recovery of Basin water levels and an addition to Watermaster's Basin management approach under Section 42, of the amended Judgment. The RDA II Program will likely continue to be an additional management tool for Watermaster until Basin water levels fully recover and demonstrate sustainability, and annual Replacement Water requirements reduce the large quantity of water held in Cyclic Storage. In this regard, it should be noted, a lower Operating Safe Yield would expedite the reduction of water held in Cyclic Storage.

Based on the evaluation presented in this Report, the Engineer's recommended Operating Safe Yield should be maintained for fiscal year 2020-21 at 150,000 acrefeet. The Engineer also recommends the Watermaster should consider maintaining the Operating Safe Yield at no more than 150,000 acre-feet until such time the <u>operational</u> elevation at the Key Well is significantly above elevation 200 feet

(currently about 178 feet, excluding about 30 feet of water from cyclic storage), in accordance with the Judgment provisions. Setting the Operating Safe Yield lower than 150,000 acre-feet may be considered to help reduce the large quantity of water held in Cyclic Storage.

The Judgment requires that on or before the first meeting in April each year, Watermaster makes a Preliminary Determination of the Operating Safe Yield for the Basin for each of the succeeding five fiscal years. Watermaster's Engineer recommends the following quantities as Operating Safe Yield for consideration by the Watermaster Board members.

	Operating Safe Yield
Fiscal Year	(Acre-feet)
2020-21	150,000
2021-22	130,000
2022-23	130,000
2023-24	130,000
2024-25	130,000

Attached, as Appendix "B", is a tabulation showing each Pumper's Share in percent and the number of acre-feet each Producer can produce from the Basin free of Replacement Water assessments for quantities of Operating Safe Yield 130,000 acre-feet per year to 160,000 acre-feet per year. Those producers shown to have a share less than five acre-feet prior to June 21, 2012 are Minimal Producers and are allowed to produce up to five acre-feet free of Replacement Water assessments.

J:\Jobs\1205\1205-04\2020-21\Preliminary\OSYRPTPreliminary\_2020-21.docx

#### ANNUAL OPERATING SAFE YIELD, **PRODUCTION RIGHTS, WATER PRODUCTION** AND REPLACEMENT WATER REQUIREMENTS (ACRE-FEET)

	RAINFALL AT	MEASURED		CARRY OVER				BAS	N	
FISCAL <u>YEAR</u>	PUDDINGSTONE STA. NO. 96C-E <u>(INCHES) 1/</u>	KEY WELL ELEVATION (FEET) 2/	OPERATING SAFE YIELD	RIGHTS FROM PREVIOUS <u>YEAR</u>	LOST CARRY OVER <u>RIGHTS</u>	PRODUCTION <u>RIGHTS</u>	WATER PRODUCTION	REPLACEMENT WATER REQUIREMENT	PRODUCER CYCLIC <u>STORAGE</u>	TOTAL
1973-74	15.05	238.4	226,800			238,132.94	235,460.40	14,518.98	0.00	14,518.98
1974-75	14.57	234.8	210,000	17,191.52	203.36	237,913.46	225,221.86	8,421.93	0.00	8,421.93
1975-76	7.77	221.1	200,000	20,908.91	131.06	231,391.95	242,246.36	24,744.88	0.00	24,744.88
1976-77	15.72	211.4	150,000	13,759.41	861.12	174,193.45	210,340.40	48,650.71	0.00	48,650.71
1977-78	40.08	270.4	150,000	9,980.67	1,198.54	170,473.30	195,275.53	36,818.25	0.00	36,818.25
1978-79	24.88	266.6	170,000	8,950.43	78.11	189,439.67	214,919.54	34,404.83	0.00	34,404.83
1979-80	33.76	282.4	220,000	6,745.88	81.54	237,226,13	223.088.89	9.896.39	0.00	9.896.39
1980-81	9.74	252.4	230,000	21,960.87	202.89	262,445,19	230,832.31	5,477.08	0.00	5,477.08
1981-82	19.94	245.5	210,000	35,642.01	380.30	255,281.37	220,391.54	10,582.35	0.00	10,582.35
1982-83	37.80	292.7	200,000	43,261.87	304.02	253,049.93	209,949.43	3,293.23	0.00	3,293.23
1983-84	12.09	267.1	230,000	45,378.26	80.10	287,394.98	236,679.19	2,151.85	1,573.60	3,725.45
1984-85	14.42	245.8	210,000	51,594.26	344.48	272,050.11	242,439.63	12,475.69	0.00	12,475.69
1985-86	23.33	250.8	190,000	40,395.40	198.50	240,319.81	246,223.58	33,774.82	0.00	34,774.82
1986-87	9.61	236.5	200,000	25,403.49	106.93	235,923.93	253,633.02	41,828.86	0.00	41,828.86
1987-88	16.79	224.0	190,000	22,457.73	143.63	222,985.31	248,101.54	51,989.89	0.00	51,989.89
1988-89	14.00	219.8	180,000	21,710.19	61.61	214,810.57	253,694.47	59,384.99	0.00	59,384.99
1989-90	12.11	206.5	180,000	19,741.33	282.28	210,268.35	252,135.76	62,582.49	0.00	62,582.49
1989-90	18.29	200.3	170,000	17,837.99	387.33	199,467.55	232,091.44	41,232.39		54,345.09
1990-91	23.93	200.3	140,000		345.83	169,575.74	232,091.44		13,112.70	54,345.09 67,131.09
				18,796.02				31,214.19	35,916.90	
1992-93	40.44	267.8	180,000	13,478.79	189.05	204,009.40	236,677.04	15,858.66	50,031.39	65,890.05
1993-94	12.44	248.8	220,000	31,718.29	462.81	262,029.85	243,616.55	8,915.59	25,422.42	34,338.01
1994-95	29.38	269.0	200,000	50,290.41	1,065.79	260,802.71	243,479.39	30,194.77	0.00	30,194.77
1995-96	15.92	248.9	220,000	44,262.41	737.28	274,608.47	268,950.50	32,526.05	0.00	32,526.05
1996-97	18.47	241.3	210,000	35,484.68	863.84	256,011.19	279,481.35	55,236.24	0.00	55,236.24
1997-98	35.84	267.8	220,000	28,965.55	704.70	263,725.27	253,921.28	26,362.42	4,331.64	30,694.06
1998-99	7.93	244.8	230,000	34,016.10	124.28	277,282.73	265,151.97	30,499.32	2,859.66	33,358.98
1999-00	14.65	228.5	220,000	40,633.83	592.51	274,824.14	278,687.14	39,749.83	3,663.84	43,625.83
2000-01	17.04	220.1	220,000	33,774.80	570.83	267,126.29	270,919.13	38,317.35	2,825.02	41,142.37
2001-02	6.41	208.7	210,000	32,015.15	532.59	258,992.70	264,328.17	40,773.50	6,450.10	47,223.60
2002-03	19.99	204.1	190,000	32,833.12	159.50	240,450.90	237,490.86	38,519.29	5,948.75	44,468.04
2003-04	12.77	204.2	170,000	38,370.38	79.24	224,691.75	252,811.50	51,416.73	8,870.23	60,286.96
2004-05	44.08	248.4	170,000	24,549.23	53.76	219,049.64	247,187.00	41,043.83	18,736.93	59,780.76
2005-06	16.82	249.7	240,000	17,402.45	156.28	268,418.02	259,807.52	12,065.12	6,908.92	18,974.04
2006-07	4.55	220.5	240,000	27,862.73	90.80	278,386.20	284,328.04	20,048.99	7,309.89	27,356.53
2007-08	16.17	202.7	210,000	29,374.42	182.17	249,433.95	258,167.00	28,777.98	9,157.53	37,935.51
2008-09	14.59	195.6	180,000	33,902.42	778.21	224,028.56	250,102.62	26,473.24	30,239.02	56,712.26
2009-10	20.04	204.2	170,000	28,729.17	236.31	210,117.25	237,846.31	35,129.38	14,929.92	50,059.30
2010-11	19.45	233.5	170,000	20,695.69	167.70	201,220.31	227,657.15	33,084.38	15,382.66	48,467.04
2011-12	12.06	226.4	210,000	21,657.47	166.96	242,181,86	237,028.57	19,685.04	20,704.45	40,389.49
2012-13	7.84	202.8	200,000	44,143.15	268.13	254,314.47	242,913.84	5,972.15	23,673.25	29,645.40
2013-14	4.77	187.8	180,000	42,864.86	377.39	233,389.45	240,552.41	3,779.32	36,325.98	40,105.30
2014-15	10.01	177.5	150,000	36,753.33	419.84	197,280.18	208,339.16	12,319.13	33,508.84	45,827.97
2015-16	10.04	174.0	150,000	35,226.32	284.47	195,752.95	182,826.49	6,909.20	19,510.99	26,420.19
2015-10	20.92	179.4	150,000	39,299.44	285.56	199,994.06	197,243.28	7,526.21	24,009.59	31,535.80
2010-17	6.92	179.4	150,000	34,893.57	144.60	199,994.00	209,499.70	12,520.95	27,409.98	39,930.93
2017-18	23.60	196.9	150,000	28,810.62	298.63	189,434.81	190,156.12	10,747.45	24,101.15	34,848.60
2018-19	11.37 3		150,000	34,603.48	298.03	195,100 5/	185,000 6/		24,101.15	34,046.00
8-YEAR AVERAGE:	12.02	-	167,500				213,570			-
10-YEAR AVERAGE:	13.57		168,000	33,307.36	264.96	211,910.55	217,406.30	14,767.32	23,955.68	38,723.00
46-YEAR AVERAGE:	17.98		192,757	29,416.10	341.89	233,159.15	238,334.17	26,476.00	10,280.77	36,783.07
TO LAN AVENAGE.	17.30		102,101	23,410.10	5-1.03	200,100.10	200,004.17	20,470.00	10,200.77	50,7 65.07

Water Year
 End of Fiscal Year, July to June
 As of March 27, 2020
 As of March 27, 2020
 Stimated value including Carry-over Rights and Diversion Rights
 Estimated value

# **RAINFALL AND WATER REPLENISHMENT OF** MAIN SAN GABRIEL BASIN

	RAINFALL AT PUDDINGSTONE		REPLENISHED IN		MEASURED BALDWIN PARK KEY	OPERATIONAL BALDWIN PARK KEY
WATER YEAR 1/	STA. NO. 96C-E (INCHES)	LOCAL RUNOFF (AF)	IMPORTED (AF) 2/	TOTAL (AF)	WELL ELEV. AT END OF WATER YEAR (FT)	WELL ELEV. AT END OF WATER YEAR (FT)
1973-74	15.05	92,000	8,835	100,835	234	234
1974-75	14.57	62,000	14,564	76,564	226	226
1975-76	7.77	22,400	28,018	50,418	214	212
1976-77	15.72	21,000	18,335	39,335	206	203
1977-78	40.08	262,400	20,549	282,949	259	258
1978-79	24.88	160,000	30,968	190,968	254	253
1979-80	33.76	227,700	5,805	233,505	269	268
1980-81	9.74	49,100	0	49,100	243	242
1981-82	19.94	92,200	42,623	134,823	240	239
1982-83	37.80	298,800	28,345	327,145	284	283
1983-84	12.09	70,000	3,326	73,326	256	255
1984-85	14.42	32,700	66	32,766	240	239
1985-86	23.33	70,200	55,862	126,062	241	234
1986-87	9.61	26,700	55,943	82,643	238	228
1987-88	16.79	48,500	43,989	92,489	218	208
1988-89	14.00	33,000	45,925	78,925	211	201
1989-90	12.11	37,700	47,504	85,204	201	193
1990-91	18.29	95,500	54,153	149,653	205	199
1991-92	23.93	222,100	68,304	290,404	237	230
1992-93	40.44	220,000	62,632	282,632	268	265
1993-94	12.44	43,000	38,296	81,296	250	247
1994-95	29.38	210,500	22,354	232,854	266	261
1995-96	15.92	105,900	32,480	138,380	248	238
1996-97	18.47	34,700	55,075	89,775	239	228
1997-98	35.84	171,600	62,887	234,487	264	255
1998-99	7.93	48,200	13,346	61,546	239	230
1999-00 2000-01	14.65	66,500	59,559	126,059	226 217	214 206
2000-01	17.04 6.41	84,900 55,900	34,998	119,898 116,443	205	206 194
2002-03	19.99	55,200	60,543 63,508	118,708	203	189
2002-03	12.77	45,600	67,533	113,133	197	189
2003-04	44.08	398,000	19,921	417,921	248	237
2005-06	16.82	138,600	88,014	226,614	240	225
2006-07	4.50	47,800	24,780	72,580	213	199
2007-08	16.25	85,400	7,727	93,127	203	191
2008-09	14.82	73,800	6,607	80,407	191	185
2009-10	20.02	157,400	32,708	190,108	204	198
2010-11	19.45	241,500	68,424	309,924	234	227
2011-12	12.06	39,100	57,846	96,946	212	203
2012-13	7.84	24,600	44,678	69,278	196	188
2013-14	4.77	21,900	36,717	58,617	182	174
2014-15	10.01	14,500	41,519	56,019	174	165
2015-16	10.04	35,200	60,092 1/	95,292	172	161
2016-17	20.92	92,200	91,316 1/	183,516	182	163
2017-18	6.92	29,410	55,115	84,524	172	152
2018-19	23.60	173,500	99,265 1/	272,765	211	182
2019-20	11.37 3	3/ 32,760 4	/ 23,490 5/	56,250 5	/ 208	178 6/
8-Year Average	12.02	53,801	60,818	114,620		
10-Year Average	13.56	82,931	58,768	141,699		
46-Year Average	17.98	100,846	40,892	141,738		
-						

1/ October 1 to September 30

2/ July 1 to June 30

3/ As of March 27, 2020

4/ Preliminary data as of January 31, 2020. Includes 21,510 AF of Stormwater Augmentation Program water.

5/ October 1, 2019 to January 31, 2020. Excludes deliveries through USG-5 and 21,510 AF of RDA II water.

6/ As of March 27, 2020

#### MONTHLY STORAGE ACCOUNTS AND EFFECT ON KEY WELL

		ACCUMULATED CYCLIC STORAGE ACCOUNTS (acre-feet)		ADDITIONA	LSTORAGE	ACCOUNTS		ESTIMATED	OPERATIONAL					
END OF MONTH	N	MWD/UD	SGVMWD	MWD/TV	MWD AGREEMENT	PRODUCER	TOTAL CYCLIC STORAGE	WATERMASTER PRE- PURCHASES	PUENTE BASIN WATER AGENCY	RESOURCE DEVELOPMENT (RDA I)	TOTAL	KEY WELL ELEVATION INCREASE DUE TO STORAGE ACCOUNTS (FT) 1/	KEY WELL ELEVATION (WITHOUT STORAGE ACCOUNTS) (FT)	MEASURED KEY WELL ELEVATION (FT)
Jul-13		0.00	17,890.48	13,655.80		31,464.49	63,010.8	4,555.70			67,566.47	8.45	191.9	200.3
Aug-13		0.00	17,801.32	14,491.60		31,464.49	63,757.4	5,034.70			68,792.11	8.60	188.8	197.4
Sep-13		0.00	17,714.22	14,189.60		32,464.49	64,368.3	4,672.74			69,041.05	8.63	187.4	196.0
Oct-13 Nov-13		0.00 0.00	17,622.55 14,984.50	14,147.40 14,391.40		44,821.46 48,454.61	76,591.4 77,830.5	4,672.74 4,672.74			81,264.15 82,503.25	10.16 10.31	184.7 186.8	194.9 197.1
Dec-13		0.00	14,903.04	14,546.40		49,206.58	78,656.0	4,672.74			83,328.76	10.42	187.1	197.5
Jan-14		0.00	14,817.43	14,807.70		45,169.74	74,794.9	4,672.74			79,467.61	9.93	187.0	196.9
Feb-14		0.00	14,744.65	14,820.90		43,448.81	73,014.4	4,672.74			77,687.10	9.71	186.0	195.7
Mar-14		0.00	14,659.90	14,876.90		42,132.17	71,669.0	4,672.74			76,341.71	9.54	184.7	194.3
Apr-14		5,000.00	6,811.13	14,876.90		38,344.74	65,032.8	4,672.74			69,705.51	8.71	183.9	192.6
May-14 Jun-14		5,000.00 5.000.00	6,719.84 6,601.88	14,876.90 14.876.90		34,307.90 30,271.07	60,904.6 56,749.9	4,672.74			65,577.38 61,422.59	8.20 7.68	181.7 180.1	189.9 187.8
Jul-14 Jul-14		5,000.00	6,513.62	14,876.90		30,271.07 30,724.60	56,749.9 57,115.1	4,672.74 4,672.74			61,787.86	7.00	178.2	185.9
Aug-14		5,000.00	6,720.99	14,876.90		32,229.60	58,827.5	4,672.74			63,500.23	7.94	176.2	184.2
Sep-14		5,000.00	7,550.15	14,876.90		33,734.60	61,161.7	4,672.74			65,834.39	8.23	174.0	182.3
Oct-14		0.00	7,469.52	14,876.90		40,738.30	63,084.7	4,672.74			67,757.46	8.47	172.4	180.9
Nov-14		1,000.00	7,394.79	14,876.90		45,467.20	68,738.9	3,572.74			72,311.63	9.04	171.0	180.0
Dec-14		1,000.00	7,314.16	14,876.90		48,678.80	71,869.9	3,572.74			75,442.60	9.43	170.7	180.1
Jan-15 Feb-15		1,000.00 1,000.00	7,232.81 7,159.95	14,876.90 14,876.90		52,562.20 58,167.20	75,671.9 81,204.1	3,572.74			79,244.65 84,776.79	9.91 10.60	170.3 169.2	180.2
Mar-15		0.00	3,242.63	14,876.90		67,197.70	85,317.2	3,572.74 6,562.74			91,879.97	11.48	169.2	179.8 179.5
Apr-15	1	1,068.00	3,166.58	14,876.90		69,697.70	88,809.2	8,572.74			97,381.92	12.17	166.6	178.8
May-15		4,699.00	3,071.50	14,876.90		69,697.70	92,345.1	8,572.74			100,917.84	12.61	165.6	178.2
Jun-15	ŧ	5,032.00	2,957.99	14,347.90		71,819.96	94,157.9	6,972.74			101,130.59	12.64	164.8	177.5
Jul-15		5,031.54	4,324.67	14,347.90		38,311.12	62,015.2	6,972.74			68,987.97	8.62	167.5	176.1
Aug-15		5,031.54	6,140.39	14,347.90		38,311.12	63,831.0	6,972.74			70,803.69	8.85	166.2	175.0
Sep-15 Oct-15		0,031.54 0,031.54	2,925.85 3,378.95	14,347.90 14,347.90		38,311.12 38,311.12	65,616.4 66,069.5	6,972.74 6,972.74			72,589.15 73,042.25	9.07 9.13	165.3 164.9	174.4 174.1
Nov-15		0,031.54	3,300.07	15,216.30		46,295.82	74,843.7	6,972.74		413.00	82,229.47	10.28	163.7	174.1
Dec-15		9,637.64	2,316.72	16,855.30		49,821.12	78,630.8	6,972.74		6,940.00	92,543.52	11.57	165.4	177.0
Jan-16		5,137.64	2,236.27	16,855.30		49,821.12	74,050.3	11,472.74		6,940.00	92,463.07	11.56	167.5	179.0
Feb-16		5,138	2,163.72	2,277.00		49,821.12	59,399.5	11,472.74	14,578.30	6,940.00	92,390.52	11.55	166.8	178.3
Mar-16		8,139	2,115.36	2,277.00		49,821.12	62,352.0	11,472.74	14,578.30	6,940.00	95,343.06	11.92	165.9	177.8
Apr-16		8,139	2,037.46	2,277.00		49,821.12	62,274.1	11,472.74	14,578.30	6,940.00	95,265.16	11.91	164.8	176.7
May-16 Jun-16		8,139 7,539	2,661.68 5,312.04	2,277.00 2,277.00		49,821.12 51,771.12	62,898.3 66,898.7	11,472.74 10,122.74	14,578.30 14,578.30	6,940.00 6,940.00	95,889.38 98,539.74	11.99 12.32	163.5 161.7	175.5 174.0
Jul-16		7,539	8,050.89	2,277.00		32,260.13	50,126.6	10,122.74	14,578.30	6,940.00	81,767.60	10.22	162.4	172.6
Aug-16		7,539	10,692.05	2,277.00		32,260.13	52,767.7	10,122.74	14,578.30	6,940.00	84,408.76	10.55	162.4	173.0
Sep-16		7,539	13,277.84	2,277.00		32,260.13	55,353.5	10,122.74	14,578.30	6,940.00	86,994.55	10.87	161.3	172.2
Oct-16		7,539	4,635.99	2,277.00		51,681.63	66,133.2	10,122.74	14,578.30	6,940.00	97,774.20	12.22	161.9	174.1
Nov-16		7,539	7,279.09	4,265.90		64,345.63	83,429.2	10,122.74	14,578.30	11,653.00	119,783.20	14.97	161.1	176.1
Dec-16		7,225	2,811.24	14,395.10		73,860.13	98,291.6	10,122.74	14,571.80	11,653.00	134,639.15	16.83	163.0	179.8
Jan-17 Feb-17		7,225 7,225	2,739.22 4,127.60	14,395.10 14,395.10		73,860.13 73,860.13	98,219.6 99,608.0	10,122.74 10,122.74	14,571.80 14,571.80	11,653.00 11,653.00	134,567.13 135,955.51	16.82 16.99	164.0 164.7	180.8 181.7
Mar-17		7,225	6,407.86	14,395.10		73,860.13	101,888.2	10,122.74	14,553.62	12,414.00	138,978.59	17.37	165.7	183.1
Apr-17		7,225	9,686.97	14,395.10		73,860.13	105,167.3	10,122.74	14,553.62	12,414.00	142,257.70	17.78	165.0	182.8
May-17		7,225	10,381.49	14,395.10		73,860.13	105,861.9	10,122.74	14,553.62	12,414.00	142,952.22	17.87	164.1	182.0
Jun-17		7,225	7,842.99	12,000.00		76,496.13	103,564.3	9,333.84	13,962.31	12,756.00	139,616.41	17.45	161.9	179.4
Jul-17		7,225	8,605.83	12,000.00	15,239.40	54,052.49	97,122.9	9,333.84	13,962.31	12,756.00	133,175.01	16.65	160.8	177.4
Aug-17 Sop 17		7,225	10,310.61	12,000.00	31,553.10 41,020.70	56,052.49 62,122.19	117,141.3 134,819.8	7,333.84	13,962.31 13,654.50	12,756.00	151,193.49 162,494.42	18.90	158.5	177.4
Sep-17 Oct-17	I	7,225 7,225	12,451.75 9,215.56	12,000.00 12,000.00	46,020.70	62,122.19	134,819.8	1,264.14 1,264.14	13,654.50	12,756.00 12,756.00	162,494.42	20.31 20.53	162.0 162.8	182.3 183.3
Nov-17	1	7,225	11,006.89	12,000.00	46,203.80	62,122.19	138,558.0	1,264.14	13,654.50	12,756.00	166,232.66	20.78	162.5	183.3
Dec-17	I	7,225	7,391.04	13,329.10	31,547.10	62,716.33	122,208.7	0.00	13,097.88	12,756.00	148,062.59	18.51	162.7	181.2
Jan-18	I	7,188	9,445.40	13,329.10	42,530.40	62,753.23	135,246.4	6,764.00	13,097.88	12,756.00	167,864.25	20.98	161.3	182.3
Feb-18		7,188	12,467.25	12,978.70	42,530.40	62,753.23	137,917.8	6,764.00	13,097.88	12,756.00	170,535.70	21.32	162.3	183.6
Mar-18	1	7,188	14,757.10	12,978.70	42,530.40	70,064.73	147,519.2	0.00	12,620.96	12,756.00	172,896.13	21.61	161.2	182.8
Apr-18 May-18	I	7,218 7,218	14,017.84 14,763.66	16,074.80 16,074.80	42,517.50 42,517.50	73,423.23 73,423.23	153,251.2 153,997.0	0.00 0.00	14,384.31 14,384.31	12,756.00 12,756.00	180,391.52 181,137.34	22.55 22.64	159.2 158.3	181.7 180.9
Jun-18	1	6,718	16,998.43	16,074.80	42,517.50	73,423.23	153,997.0	0.00	14,384.31	12,756.00	181,137.34	22.04 22.92	158.3	180.9
Jul-18	I	6,718	19,670.74	15,025.80	42,517.50	46,513.25	130,445.1	0.00	12,158.36	12,756.00	155,359.49	19.42	156.6	176.0
Aug-18		6,718	21,125.20	15,025.80	42,517.50	46,513.25	131,899.6	0.00	12,158.36	12,756.00	156,813.95	19.60	153.6	173.2
Sep-18	1	6,718	23,185.29	15,025.80	42,517.50	46,513.25	133,959.7	0.00	11,964.26	12,756.00	158,679.94	19.83	151.8	171.6
Oct-18	I	7,397	18,595.85	15,025.80	47,517.50	49,151.65	137,688.0	0.00	11,964.26	12,756.00	162,408.30	20.30	149.9	170.2
Nov-18	I	7,218	716.46	15,505.30	47,517.50	64,987.25	135,944.4	0.00	11,964.26	12,756.00	160,664.61	20.08	150.1	170.2
Dec-18 Jan-19		11,934 11,934	626.51 1,146.20	14,706.60 14,706.60	47,517.50 47,517.50	64,987.25 64,987.25	139,772.3 140,292.0	0.00 0.00	11,603.16 11,603.16	12,756.00 12,756.00	164,131.46 164,651.15	20.52 20.58	154.9 158.5	175.4 179.1
Feb-19		11,934	1,146.20	14,706.60	47,517.50	64,987.25	140,292.0	0.00	11,603.16	12,756.00	164,651.15	20.58	158.5	179.7
Mar-19		11,934	4,713.71	14,281.90	47,517.50	64,987.25	143,434.8	0.00	11,099.24	12,756.00	167,290.04	20.91	168.3	189.2
Apr-19		11,942	6,686.86	13,992.90	47,517.50	69,987.25	150,127.0	0.00	11,099.24	12,756.00	173,982.19	21.75	174.3	196.0
May-19		11,942	9,134.76	13,659.60	57,517.50	69,987.25	162,241.6	0.00	11,099.24	12,756.00	186,096.79	23.26	172.6	195.9
Jun-19		11,572	12,018.79	13,162.60	57,517.50	70,357.25	164,628.6	0.00	10,677.32	12,756.00	188,061.90	23.51	173.3	196.8
Jul-19		11,572	15,073.15	19,842.60	68,388.00	47,297.80	162,174.0	0.00	10,677.32	12,756.00	185,607.31	23.20	174.3	197.5
Aug-19		11,572	16,861.15	20,300.90	85,906.00	47,297.80	181,938.3	0.00	10,677.32	12,756.00	205,371.61	25.67	181.9	207.6
Sep-19 Oct-19		11,572 11,572	18,640.44 20,289.00	20,668.30 20,890.00	102,889.70 120,491.30	47,297.80 47,297.80	201,068.7 220,540.5	0.00 0.00	10,677.32 10,677.32	12,756.00 12,756.00	224,502.00 243,973.86	28.06 30.50	182.4 181.3	210.5 211.8
Nov-19		11,572	20,289.00 21,897.21	20,890.00 20,923.90	132,031.70	47,297.80 47,297.80	220,540.5 233,723.1	0.00	10,677.32	12,756.00	243,973.86 257,156.37	30.50	179.7	211.8
Dec-19	1	8,013	22,700.47	32,137.43	107,550.90	55,497.80	225,899.5	0.00	10,677.32	12,756.00	249,332.82	31.17	181.3	211.5
Jan-20	I	8,013	11,607.01	32,152.03	108,084.00	55,497.80	215,353.7	0.00	10,677.32	12,756.00	238,787.06	29.85	181.9	211.7
Feb-20		8,013	11,517.01	32,152.03	108,084.00	55,497.80	215,263.7	0.00	10,677.32	12,756.00	238,697.06	29.84	179.6	209.4
Mar-20	2/	8,013	11,427.01	32,152.03	108,084.00	55,497.80	215,173.7	0.00	10,677.32	12,756.00	238,607.06	29.83	177.9	207.7

ASSUMES 8,000 ACRE-FEET OF CYCLIC STORAGE EQUALS 1 VERTICAL FOOT AT THE BALDWIN PARK KEY WELL.
 ESTIMATED CYCLIC STORAGE AND KEY WELL ELEVATION AS OF MARCH 31, 2020.

#### LOCAL WATER IN STORAGE IN SURFACE RESERVOIRS

	March 18, 2019			Ν	larch 3, 2020	
	STORAGE	STORAGE	INFLOW	OUTFLOW	RESERVOIR CAPACITY	RESERVOIR STORAGE
RESERVOIR	(ACRE-FEET)	(ACRE-FEET)	<u>(CFS)</u>	<u>(CFS)</u>	(ACRE-FEET)	IN PERCENT
Cogswell Dam	7,503	1,830	7	9	10,475	17%
San Gabriel Dam	36,892	29,072	45	30	44,044	66%
Morris Dam	20,835	6,232	34	33	28,736	22%
Sub-Total:	65,230	37,134			83,255	45%
Santa Fe Dam <sup>1/</sup>	593	0		0		
Big Dalton Dam	510	62	0	0		
San Dimas Dam	811	467	1	0		
Puddingstone Dam <sup>2/</sup>	6,766	6,629	4	0		
TOTALS:	73,910	44,292				

1/ Storage is typically zero. Reservoir used for Flood Control purposes only, not storage for water conservation purposes.

2/ Storage is typically about 6,600 acre-feet. Used for recreational purposes, not water conservation purposes.

#### SUPPLEMENTAL WATER DELIVERIES TO THE MAIN SAN GABRIEL BASIN FOR GROUNDWATER REPLENISHMENT (ACRE-FEET)

TABLE 5

	UPPER DISTRICT					THREE VALLEYS DISTRICT					SAN GABRIEL DISTRICT							
			a.v.a. 10			PRODUCER					PRODUCER		USG-5			TRANSFERS TO		
FISCAL YEAR	REPLACEMEN USG-3		CYCLIC	WATERMASTER PRE-PURCHASES		CYCLIC STORAGE	REPLACEMENT WATER	CYCLIC STORAGE	WATERMASTER PRE-PURCHASES	RESOURCE DEVELOPMENT	CYCLIC STORAGE	REPLACEMENT WATER	EXCHANGE REPLACEMENT		WATERMASTER PRE-PURCHASES		RESOURCE	TOTALS
TLAN	030-5	030-32/	STORAGE	PRE-PURCHASES		STORAGE	WATER	STORAGE	FRE-FURCHASES	DEVELOPMENT	STORAGE	WATER	REFLACEMENT	STORAGE	FRE-FURCHASES	CICLIC STORAG	DEVELOPMENT	TOTALS
1974-75	13,731.90											787.10		44.90				14,563.90
1975-76	7,121.40		12,621.10									1,302.90		6,972.10	)			28,017.50
1976-77	10,752.60	2,654.90	52.40									3,814.95	992.93	2,722.12				20,989.90
1977-78	14,962.50	2,981.70	0.00									4,470.85	1,115.15	0.00				23,530.20
1978-79	24,000.00	3,486.10	0.00									4,112.25	1,303.79	1,551.96				34,454.10
1979-80 1980-81	4,740.60	3,191.00 3,130.70	0.00 0.00									0.00 0.00	1,064.00 0.00	0.00				8,995.60 3,130.70
1981-82	0.00 40,824.70	2,853.70	0.00									81.84	1,067.28	648.88				45,476.40
1982-83	22,934.40	2,256.30	3,189.30									0.00	843.87	1.377.13				30,601.00
1983-84	0.00	1,907.10	3,246.70			0.00						0.00	79.00	0.00				5,232.80
1984-85	0.00	2,395.50	0.00			0.00						0.00	66.00	0.00				2,461.50
1985-86	3,000.00	2,600.80	47,405.40			0.00						4,484.30	972.70	0.00	0			58,463.20
1986-87	19,354.30	2,484.20	23,991.10			0.00						4,368.59	929.09	7,300.32				58,427.60
1987-88	28,187.30	3,751.30	5,975.00			0.00						7,763.11	1,402.99	660.90				47,740.60
1988-89	39,100.00	3,726.60	110.70			0.00						5,320.25	1,393.75	0.00				49,651.30
1989-90	32,740.20	1,716.10	0.00			0.00						11,296.63	641.82	2,825.55				49,220.30
1990-91	16,078.60 7,491.90	2,734.10	14,453.50			13,112.70	0.00	 25,077.10				9,485.43	1,022.57 828.04	0.00				56,886.90 70,517.80
1991-92 1992-93	16,077.97	2,214.00 2,478.10	23,525.90 10,214.60			3,305.90 18,916.73	0.00	25,077.10 3,737.50				8,074.96 11,418.17	1,202.03	1.064.80				65.109.90
1993-94	0.00	3,214.00	0.00			23,050.80	0.00	0.00				8,620.14	1,202.03	5.419.06				41.509.80
1994-95	0.00	3,178.10	6.177.10			0.00	0.00	5,738.60				5,691.49	1,188.61	3,557.90				25,531.80
1995-96	15,467.80	3,149.90	85.20			0.00	0.00	3,832.00				8,484.59	1,178.05	3,432.36				35,629.90
1996-97	3,934.10	3,304.50	32,229.90			0.00	0.00	1,451.10				14,525.94	1,235.89	1,698.17				58,379.60
1997-98	21,409.60	3,392.70	24,870.20			0.00	0.00	953.10				14,061.60	1,268.85	323.55	5			66,279.60
1998-99	0.00	3,353.40	0.00			0.00	3,311.70	0.00				6,158.61	1,254.19	2,621.20				16,699.10
1999-00	13,645.60	3,508.30	24,416.20			0.00	4,418.60	0.00				9,286.01	1,312.09	8,605.90				65,192.70
2000-01	10,412.80	3,285.30	14,624.30			0.00	5,583.70	675.20				10,464.30	1,228.70	0.00				46,274.30
2001-02	25,246.02	3,438.90	1,944.90			0.00	4,944.10	570.20				10,929.17	1,286.13	1,172.70				49,532.12
2002-03 2003-04	33,551.42 14,166.20	3,018.30 3,058.30	0.00 23,603.00			0.00 10,000.00	2,791.00 1,920.40	0.00 0.00				3,938.39 672.60	1,128.84 1,143.80	15,027.77 16,815.60				59,455.72 71,379.90
2003-04	5,744.20	2,998.00	23,003.00			0.00	1,714.50	0.00			1.800.00	500.66	1,143.80					24.718.70
2005-06	48,069.20	2,815.50	9.400.80			7,500.00	357.10	0.00			0.00	0.00	1,052.99	12.658.01				81.853.60
2006-07	0.00	2,963.30	4,159.20			0.00	166.70	2,978.00			0.00	573.59	1,108.29	15,794.12				27,743.20
2007-08	0.00	3,027.20	5,724.40			0.00	0.00	0.00			0.00	91.76	1,132.17	779.07				10,754.60
2008-09	0.00	3,064.90	0.00			0.00	0.00	0.00			0.00	788.73	1,146.29	4,671.98	3			9,671.90
2009-10	16,076.40	2,611.50	0.00			0.00	0.00	1,427.80			0.00	1,886.58	976.70	12,340.72				35,319.70
2010-11	23,737.90	2,428.20	0.00			11,646.50	0.00	12,264.60			0.00	14,655.86	908.13	5,211.01				70,852.20
2011-12	3,257.20	2,999.40	0.00			18,169.10	0.00	12,871.40			0.00	22,426.22	1,121.78	0.00				60,845.10
2012-13	2,034.70	3,037.40	0.00			10,000.00	0.00	10,098.80			0.00	16,269.22	1,135.98	5,138.80				47,714.90
2013-14 2014-15	0.00 0.00	2,983.90 2.711.70	0.00 4,031.54	 5,000.00		31,288.90 29.809.36	0.00 0.00	3,110.10 471.00			0.00 1,000.00	1,202.03 192.83	1,115.97 1.014.17	0.00		5,000.00 0.00		39,700.90 44.230.60
2014-15	0.00	2,486.50	3,107.00	5,000.00	5.622.00	29,809.30	0.00	2.507.40	0.00	416.00	500.00	0.00	929.95	7.354.05		5,000.00	-	39.334.90
2016-17	0.00	2,400.30	0.00	0.00	4,713.00	35,786.60	0.00	12,264.60	0.00	118.10	500.00	14,029.70	1,075.95	7,265.75		5,000.00		84,391.60
2017-18	0.00	2,987.20	44,310.10	0.00	9,236.00	3,236.00	0.00	5,332.20	0.00	0.00	670.00	4,649.74	1,117.22	12,898.64		5,000.00		90,929.10
2018-19	0.00	2,943.90	16,519.30	0.00	15,297.00	20,624.00	0.00	461.80	0.00	1,110.00	3,220.00	0.00	1,101.03	11,966.97		5,000.00		80,715.00
2019-20 1	/ 0.00	1,791.70	0.00	0.00	20,056.52	8,200.00	0.00	10,848.73	0.00	1,455.42	0.00	12,182.68	670.10	0.00	)	0.00	0.00	55,205.15

Estimated as of January 31, 2020.
 In-Lieu replenishment through CWEA.


# HISTORICAL WATER PRODUCTION (ACRE-FEET)

FISCAL <u>YEAR</u>	FIRST <u>QUARTER</u>	SECOND QUARTER	THIRD <u>QUARTER</u>	FOURTH <u>QUARTER</u>	<u>TOTAL</u>
1973-74	76 455	E1 900	40.640	65 207	224 240
	76,455	51,809	40,649	65,397	234,310
1974-75	77,392	48,530	40,887	56,644	223,454
1975-76	77,811	51,274	47,542	63,439	240,066
1976-77	66,731	52,977	41,987	48,645	210,340
1977-78	59,996	47,251	33,189	54,839	195,275
1978-79	69,708	46,610	36,010	62,593	214,920
1979-80	75,291	51,799	37,496	58,522	223,108
1980-81	73,516	54,159	40,262	62,896	230,832
1981-82	77,656	50,996	39,071	51,819	219,541
1982-83	71,346	46,704	37,995	53,904	209,950
1983-84	69,443	44,463	51,157	69,616	234,679
1984-85	77,766	50,832	45,153	68,689	242,440
1985-86	77,193	53,773	46,083	69,175	246,223
1986-87	77,425	55,643	49,330	71,235	253,633
1987-88	76,057	51,642	53,093	67,319	248,111
1988-89	77,997	57,325	49,245	69,127	253,694
1989-90	77,509	60,257	50,941	63,412	252,118
1990-91	73,887	59,330	43,472	55,384	232,073
1991-92	65,688	54,633	40,696	60,461	221,477
1992-93	74,132	54,047	41,534	66,427	236,139
1993-94	76,624	57,381	47,652	61,949	243,606
1994-95	80,506	57,787	43,202	61,984	243,479
1995-96	81,408	63,428	50,931	73,184	268,950
1996-97	84,588	60,760	56,428	77,705	279,481
1997-98	84,624	60,585	46,940	61,890	254,039
1998-99	83,626	62,349	54,000	65,176	265,152
1999-00	82,395	69,076	53,697	73,519	278,687
2000-01	83,293	65,227	51,776	70,623	270,919
2001-02	82,434	61,691	55,724	64,480	264,328
2002-03	69,276	55,906	49,811	57,797	232,791
2003-04	71,337	56,815	54,740	69,957	252,850
2004-05	77,021	55,480	46,456	68,310	247,266
2005-06	79,323	62,977	53,745	63,894	259,940
2006-07	83,160	66,532	61,808	72,828	284,329
2007-08	75,251	57,898	53,327	71,691	258,167
2008-09	76,053	59,007	49,458	66,029	250,547
2009-10	74,867	56,356	43,456	62,445	237,123
2010-11	71,179	50,002	44,881	60,877	226,939
2011-12	74,369	51,922	48,340	61,659	236,290
2012-13	76,217	53,359	46,418	66,550	242,545
2013-14	73,131	54,706	48,357	64,359	240,552
2014-15	66,954	50,046	43,168	48,171	208,339
2015-16	54,430	42,182	37,364	48,850	182,826
2016-17	59,704	46,491	35,748	55,300	197,243
2017-18	63,580	53,479	41,816	50,625	209,500
2018-19	60,022	46,919	34,434	48,780	190,156
2019-20	58,165	44,117		, 	185,000 1/
8-Year Average	66,051	49,888	41,956	55,537	213,431
10-Year Average	67,445	50,546	42,398	56,762	217,151
46-Year Average	74,312	54,835	46,075	62,786	238,009


# TOTAL HISTORICAL WATER DEMAND IN BASIN (ACRE-FEET)


	TREATED					
FISCAL	II	MPORTED		TOTAL		TOTAL
YEAR		WATER		PRODUCTIO	N	DEMAND
1973-74		630		235,460		236,090
1974-75		1,036		225,222		226,258
1975-76		3,539		242,246		245,785
1976-77		9,471		210,340		219,811
1977-78		11,427		195,276		206,702
1978-79		11,724		214,920		226,643
1979-80		13,032		223,089		236,121
1980-81		16,799		230,832		247,631
1981-82		17,402		220,392		237,793
1982-83		14,208		209,949		224,158
1983-84		18,298		236,679		254,977
1984-85		21,676		242,440		264,116
1985-86		20,872		246,224		267,095
1986-87		22,575		253,633		276,208
1987-88		28,537		248,102		276,638
1988-89		25,799		253,694		279,494
1989-90		31,478		252,136		283,614
1990-91		29,922		232,091		262,014
1991-92		18,606		221,477		240,083
1992-93		18,948		236,677		255,625
1993-94		18,412		243,617		262,029
1994-95		19,517		243,479		262,996
1995-96		16,931		268,951		285,881
1996-97		17,205		279,481		296,686
1997-98		14,208		253,921		268,129
1998-99		13,846		265,152		278,998
1999-00		21,062		278,687		299,749
2000-01		19,971		270,919		290,890
2001-02 2002-03		35,153 40,982		264,328 237,491		299,481 278,472
2002-03		40,982 50,758		252,812		303,570
2003-04		35,979		247,187		283,166
2004-05		23,125		259,808		282,932
2006-07		25,904		284,328		310,232
2007-08		30,174		258,167		288,341
2008-09		21,683		250,107		271,785
2009-10		16,329		237,846		254,176
2010-11		10,316		227,657		237,973
2011-12		10,561		237,029		247,590
2012-13		14,344		242,914		257,258
2012-10		22,216		240,552		262,768
2014-15		22,517		208,339		230,856
2015-16		12,740		182,826		195,566
2016-17		12,251		197,243		209,495
2017-18		13,576		209,500		223,076
2018-19		24,953		190,156		215,109
2019-20	1/	15,000		185,000		200,000
	.,	,		,		
Most Recent						
7-Year Drought		15,458		216,915		232,373
0		·				
10-Year Average		15,980		217,406		233,387
c c						
45-Year Average		19,580		238,334		257,914


1/ Estimated



F:\JOBS\1205-04.CTB










**FIGURE 3** 


## **FIGURE 4**






## **FIGURE 6**





# **APPENDIX A**



## RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet)

## Quantities which may be pumped free of Replacement Water Assessment

	Pumper's				
	Share	OSY of	OSY of	OSY of	OSY of
Pumper	%	130,000	140,000	150,000	160,000
Alhambra, City of	4.45876	5,796.39	6,242.26	6,688.14	7,134.02
Amarillo Mutual	0.35874	466.36	502.24	538.11	573.98
Andrade, Susan	0.00423	5.50	5.92	6.35	6.77
Arcadia, City of	4.23099	5,500.29	5,923.39	6,346.49	6,769.58
	0.00500	00.00	05.40	07.05	10.10
Banks, Gale C.	0.02530	32.89	35.42	37.95	40.48
Brea, City of	0.76035	988.46	1,064.49	1,140.53	1,216.56
Cadway, Inc.	0.32545	423.09	455.63	488.18	520.72
Calif. American-San Marino	4.03204	5,241.65	5,644.86	6,048.06	6,451.26
California Domestic	6.25547	8,132.11	8,757.66	9,383.21	10,008.75
Canyon Water Company	0.00051	0.66	0.71	0.77	0.82
Chevron	0.00101	1.31	1.41	1.52	1.62
County Sanitation Dist.18	0.00228	2.96	3.19	3.42	3.65
Covina, City of	0.23979	311.73	335.71	359.69	383.66
Crevolin, A.J.	0.00114	1.48	1.60	1.71	1.82
Dawes, Mary Kay	0.22359	290.67	313.03	335.39	357.74
Del Rio Mutual	0.10069	130.90	140.97	151.04	161.10
	0.10000	100.00	140.01	101.04	101.10
East Pasadena Water Co.	0.71227	925.95	997.18	1,068.41	1,139.63
El Monte, City of	1.40888	1,831.54	1,972.43	2,113.32	2,254.21
El Monte Cemetery	0.00936	12.17	13.10	14.04	14.98
Fox Family Trust Michael Edward	0.07378	95.91	103.29	110.67	118.05
Fox and Crystal Marie Fox, Trustees					
Operation Anton and Anite	0.400.40	1 40 00	454.00	400.05	470.40
Garnier, Anton and Anita	0.10843	140.96	151.80	162.65	173.49
Golden State Water-S.G.V. Dist.	2.92105	3,797.37	4,089.47	4,381.58 36.29	4,673.68 38.70
Green, Walter	0.02419	31.45	33.87	30.29	38.70
Hansen, Alice	0.00038	0.49	0.53	0.57	0.61
Hanson Aggregates West, Inc.	1.17094	1,522.22	1,639.32	1,756.41	1,873.50
Heinrich, Carolyn	0.01269	16.50	17.77	19.04	20.30
Hemlock Mutual	0.08399	109.19	117.59	125.99	134.38
Industry, City of	0.55810	725.53	781.34	837.15	892.96
Irwindale, City of	0.19025	247.33	266.35	285.38	304.40
· ·					
Kirklen, Jeffery	0.06272	81.54	87.81	94.08	100.35
Knight, William J., Living Trust	0.11530	149.89	161.42	172.95	184.48
Landeros, John	0.00038	0.49	0.53	0.57	0.61
La Puente Valley CWD	0.57197	743.56	800.76	857.96	915.15
Loucks, David	0.00152	1.98	2.13	2.28	2.43

## RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet)

### Quantities which may be pumped free of Replacement Water Assessment

	Pumper's				
	Share	OSY of	OSY of	OSY of	OSY of
Pumper	%	130,000	140,000	150,000	160,000
Lovelady, June G.	0.09386	122.02	131.40	140.79	150.18
The Maggiore Family Trust	0.07379	95.93	103.31	110.69	118.06
Martinez, Frances	0.00038	0.49	0.53	0.57	0.61
McIntyre, William	0.01467	19.07	20.54	22.01	23.47
Miller Coors LLC	1.20047	1,560.61	1,680.66	1,800.71	1,920.75
Monterey Park, City of	3.39216	4,409.81	4,749.02	5,088.24	5,427.46
NCL Co, LLC	0.00050	0.65	0.70	0.75	0.80
Nick Tomovich	0.00001	0.01	0.01	0.02	0.02
Nicholson Family Trust	0.01569	20.40	21.97	23.54	25.10
	0.00004	4 000 00	4 507 00	4 005 70	E 054 44
Pellissier Irrevocable QTIP Trust, et a		4,268.99	4,597.38	4,925.76	5,254.14
Pico County Water Dist.	0.00038	0.49	0.53	0.57	0.61
Rados, Alexander	0.02176	28.29	30.46	32.64	34.82
Rana Living Trust, Jeanne	0.01269	16.50	17.77	19.04	20.30
Rosemead Development Ltd.	0.00051	0.66	0.71	0.77	0.82
Ruth, Roy	0.00038	0.49	0.53	0.57	0.61
San Gabriel Country Club	0.14476	188.19	202.66	217.14	231.62
San Gabriel County WD	2.73019	3.549.25	3,822.27	4.095.29	4,368.30
San Gabriel Valley WC	10.49247	13,640.21	14,689.46	15,738.71	16,787.95
Sonoco Products	0.15766	204.96	220.72	236.49	252.26
So. Calif. Edison Co.	0.08690	112.97	121.66	130.35	139.04
South Pasadena, City of	1.80520	2.346.76	2.527.28	2.707.80	2.888.32
Sterling Mutual	0.06072	78.94	85.01	91.08	97.15
Suburban Water Systems	12.59998	16,379.97	17,639.97	18,899.97	20,159.97
Sunny Slope Water Co.	1.12770	1,466.01	1,578.78	1,691.55	1,804.32
Tate, Phillip P. & Sieglinde A., et al	0.02926	38.04	40.96	43.89	46.82
Tyler Nursery	0.02920	2.11	2.27	2.43	2.59
Tyler Nulsery	0.00102	2.11	2.21	2.43	2.59
United Rock Products	0.23253	302.29	325.54	348.80	372.05
Valencia Heights Water Co.	0.53685	697.91	751.59	805.28	858.96
Valley County Water District	3.01517	3,919.72	4,221.24	4,522.76	4,824.27
Valley View Mutual	0.31169	405.20	436.37	467.54	498.70
Vulcan Materials Company	0.90690	1,178.97	1,269.66	1,360.35	1,451.04
Whittier, City of	4.18519	5,440.75	5,859.27	6,277.79	6,696.30
Wilmott, Erma	0.00038	0.49	0.53	0.57	0.61
Workman Mill Invest. Comp.	0.87839	1,141.91	1,229.75	1,317.59	1,405.42
Total of Pumpers	76.46119	99,399.55	107,045.67	114,691.79	122,337.90

#### RANGE OF OPERATING SAFE YIELDS AND PUMPER'S SHARES THEREOF (Acre-feet) Quantities which may be pumped free of Replacement Water Assessment

Pumper	Pumper's Share %	OSY of 130,000	OSY of 140,000	OSY of 150,000	OSY of 160,000
Azusa, City of Azusa Valley Water Co.	0.14988 6.76299	194.84 8,791.89	209.83 9,468.19	224.82 10,144.49	239.81 10,820.78
Calif. American (Duarte) Covina Irrigating Co.	1.84634 3.22577	2,400.24 4,193.50	2,584.88 4,516.08	2,769.51 4,838.66	2,954.14 5,161.23
Glendora, City of	4.75261	6,178.39	6,653.65	7,128.92	7,604.18
Golden State Water Co. - San Dimas District	1.73984	2,261.79	2,435.78	2,609.76	2,783.74
Los Angeles, County of	1.88292	2,447.80	2,636.09	2,824.38	3,012.67
Metropolitan Water Dist. Monrovia, City of	0.08349 3.09472	108.54 4,023.14	116.89 4,332.61	125.24 4,642.08	133.58 4,951.55
Phillips, Alice B., et al	0.00025	0.33	0.35	0.37	0.40
Total of Integrated Producers	23.53881	30,600.45	32,954.33	35,308.21	37,662.10
Total of Pumpers	76.46119	99,399.55	107,045.67	114,691.79	122,337.90
TOTAL	100.00000	130,000.00	140,000.00	150,000.00	160,000.00